

# BROCHURE

Exclusief voor  
**installateurs**

 **Laagste prijs**

 **Top merken**

 **Snelle levering**

 **Verlichting advies**

 **Persoonlijke  
accountmanagers**

## Onze focus

Discountlight is dé verlichtingsgroothandel voor functionele verlichting voor in kantoren, winkels, magazijnen, scholen, etc. In 2006 is Discountlight opgericht met als doel om inkoopvoordeel te realiseren voor de installateur. De afgelopen jaren hebben we ons sterk ontwikkeld en zijn inmiddels een gevestigde naam die staat voor scherpe prijzen, flexibele service en goede project ondersteuning. Dit hebben we weten te bewerkstelligen onder de vleugels van World Wide Lighting (WWL), moederbedrijf van onder andere Lampdirect. WWL is het snelst groeiende verlichtingsgroothandel van Europa en al 30 jaar actief in 15 landen met ruim 200 medewerkers. Waar Lampdirect zich met name richt tot de consument, is Discountlight er speciaal voor de techneut.



- ✓ **A-merk kwaliteit**  
Door enkel met A-merken te werken kun je bij ons vertrouwen op goede kwaliteit met een garantie van 3 tot 6 jaar.
- ✓ **Technisch advies**  
Heb je vragen over de producten of advies nodig bij een project? Onze experts adviseren daar graag bij!
- ✓ **Altijd een scherpe prijs**  
Als onderdeel van WWL kunnen we grootschalig inkopen. Dit inkoopvoordeel delen we graag met onze klanten!
- ✓ **Persoonlijke service**  
We begrijpen dat het ontzettend fijn is om een vast contactpersoon te hebben waar je op kan bouwen.
- ✓ **Eigen lichtontwerpers**  
Onze licht architecten ondersteunen je graag met het creëren van de perfecte licht beleving voor je klant.
- ✓ **Snel geleverd**  
Met ons enorme magazijn kunnen we een breed assortiment uit voorraad leveren, je grijpt bij ons niet snel mis.

## Even voorstellen...

Maak kennis met een aantal van onze medewerkers. Op diverse afdelingen staan zij samen met hun collega's voor je klaar en leveren ze de beste service!



Hi! Mijn naam is Tommy en ik ben sinds een paar maanden vol enthousiasme aan de slag gegaan als accountmanager binnendienst bij Discountlight. In deze rol adviseer ik klanten over de beste verlichtingsoplossingen, werk ik aan het versterken van relaties en ga ik actief op zoek naar nieuwe kansen in de markt. Met mijn ervaring in accountmanagement en mijn passie voor klantgerichtheid, duurzaamheid en innovatie, kijk ik ernaar uit om samen met het team bij Discountlight verder te bouwen aan succes. Heb je vragen over verlichting of wil je eens sparren over de mogelijkheden? Stuur me gerust een bericht – ik denk graag met je mee!

**- Tommy Fransman**

Hoi! Ik ben Dineke en al ruim 5,5 jaar met veel plezier werkzaam als customer support medewerker bij Discountlight. In het begin hielp ik vooral onze Belgische installateurs, die me inmiddels goed kennen en weten dat ze op me kunnen rekenen. Sinds iets meer dan 2 jaar ondersteun ik ook onze Nederlandse klanten, wat het werk extra afwisselend maakt – en die verschillende accenten maken elke dag gezellig! Ik houd me vooral bezig met het invoeren van bestellingen, het adviseren van klanten bij het vinden van de juiste producten en het tijdig communiceren over levertijden. Klant tevreden? Dan ben ik dat ook – dát is waar ik het voor doe! **- Dineke Posthumus**












# TABLE OF CONTENTS

## LED Fixtures





 <p>Panels</p> <p>p.06</p>	 <p>Battens IP65/IP66</p> <p>p.13</p>	 <p>Battens Housing</p> <p>p.19</p>	 <p>Other Battens</p> <p>p.20</p>	 <p>LED Trunkings</p> <p>p.21</p>	 <p>Highbays</p> <p>p.24</p>
--	--	--	--	--	--

## LED Tubes


 <p>T5 Tubes</p> <p>p.53</p>	 <p>T8 Tubes</p> <p>p.56</p>	 <p>T8 Tubes Universal</p> <p>p.62</p>
--	---	---

 <p>GY6.35 Bulbs</p> <p>p.76</p>	 <p>G9 &amp; G4 Bulbs</p> <p>p.77</p>	 <p>R7s Bulbs</p> <p>p.78</p>	 <p>AR111 Bulbs</p> <p>p.79</p>	 <p>B22 Bulbs</p> <p>p.80</p>	 <p>Stick Shape Bulbs</p> <p>p.80</p>
--	---	---	---	---	---

## Accessories & Conventional sources


 <p>Accessories</p> <p>p.88</p>	 <p>Emergency Lighting</p> <p>p.89</p>	 <p>Gas Discharge Bulbs</p> <p>p.89</p>	 <p>Ballasts for TL-D Tubes</p> <p>p.89</p>
--	---	--	--





Floodlights

p.28




Bulkheads

p.33




Downlights

p.37




Strips

p.42



Spotlights

p.45



Track Lights

p.49

## LED Bulbs




Gas Discharge Bulbs

p.64



GX53 Bulbs

p.67



CFL Bulbs

p.68



GU10 Bulbs

p.71



GU4 Bulbs

p.74



GU5.3 Bulbs

p.75



A60 Bulbs

p.81



P45 Bulbs

p.83



Candle Bulbs

p.90



Dim-to-warm Bulbs

p.85



Reflector Bulbs


p.86



Vintage Bulbs

p.86

## Charging Stations



Charging Stations

p.90

A modern interior space featuring a glass and metal railing system. The railing is composed of dark grey metal beams and clear glass panels. The background shows a bright, open-plan area with a white ceiling, recessed square LED light panels, and a polished floor. A white pillar is visible on the left side. The overall aesthetic is clean and contemporary.

# LED Panels

## Noxion LED Panel Delta Pro V5

NOXION  
Best in class lighting



Backlit : thickness 32mm  
Sidelit : thickness 10mm

L70	Warranty	IP	IK	°C	CRI	PF
100000h	6 years	20	03	-15°C- 40°C	80	0.95

Description	UGR<19	UGR<22
<b>V5 Backlit Value (Philips driver)</b>		
28W 3920lm 2CCT 60x60	249315	249314
28W 3920lm 2CCT 30x120	249319	249318
<b>V5 Sidelit (Philips driver)</b>		
28W 3700lm 3000K 60x60	249326	
28W 3920lm 4000K 60x60	249327	
28W 3700lm 3000K 30x120	249328	
28W 3920lm 4000K 30x120	249329	



**Discountlight Exclusief:** deze producten worden exclusief aangeboden aan installateurs en zijn niet beschikbaar buiten Discountlight.  
Meer informatie p.91

## Noxion LED Panel Delta Pro V5 Highlum

NOXION  
Best in class lighting



L80	Warranty	IP	IK	°C	CRI	PF
100000h	6 years	20	02	-10°C- 40°C	80	0.92

Art. n°	Description
<b>V5.0</b>	
249321	36W 5040lm 2CCT 60x60
249324	36W 5040lm 2CCT 30x120



**Discountlight Exclusief:** deze producten worden exclusief aangeboden aan installateurs en zijn niet beschikbaar buiten Discountlight.  
Meer informatie p.91

## Noxion LED Panel Ecowhite V4.0

**NOXION**  
Best in class lighting



L70	Warranty	IP	IK	°C	CRI	PF
70000h	4 years	20	02	-10°C- 40°C	80	0.9

Description	UGR<19	UGR<22
13W Max 1560lm- 3CCT- 30X30	-	250404
20W Max 2400lm- 3CCT- 30X60	-	250405
28W 3200lm 3000K 60X60	248929	248928
28W 3400lm 4000K 60X60	248931	248930
28W 3200lm 3000K 30X120	248934	248932
28W 3400lm 4000K 30X120	248936	248935
28W Max 3220lm- 3CCT- 60X60	250399	248937
28W Max 3300lm- 3CCT- 30X120	248942	248941
64W Max 7680lm- 3CCT- 60X120	-	250406
28W Max 3300lm- 3CCT- 30X120	248942	248941
64W Max 7680lm- 3CCT- 60X120	-	248945



## Noxion LED Panel Accessories

**NOXION**  
Best in class lighting

Description	Delta pro V5.0	Ecowhite V4.0
Surface Mounted Kit 60x60	238301	238301
Surface Mounted Kit 30x120	238302	238302
Surface Mounted Kit 30x30	-	249167
Surface Mounted Kit 30x60	-	249168
Surface Mounted Kit 60x120	-	249169
Suspension Kit	236958	236958
Mounting Clips	236959	236959
Security cable   60x60	Included	236960
Security cable   30x120	Included	236960

## Philips LED Panel Coreline RC132V G6

L80	Warranty	IP	IK	°C	CRI	PF
100000h	5 years	20	02	-10°C- 35°C	80	0.9

Art. n°	Description
<b>RC132V - UGR&lt;19</b>	
249724	26W 3400lm 3000K 60x60
249729	26W 3600lm 4000K 60x60
249721	22-31W 4300lm 3000-3500-4000K 60x60
<b>RC132V - UGR&lt;23</b>	
249723	26W 3400lm 3000K 60x60
249728	26W 3600lm 4000K 60x60
249722	22-31W 4300lm 3000-3500-4000K 60x60

## Philips LED Panel Coreline RC132V G5

L75	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	03	-10°C- 40°C	80	0.9

Art. n°	Description
<b>UGR&lt;19</b>	
246032	24,5-34,5W 4300lm 4000K UGR<19
246318	28,5W 3600lm 4000K 30x120 UGR<19
<b>UGR&lt;23</b>	
246039	28,5W 3600lm 4000K 30x120 UGR<23

PHILIPS



PHILIPS



## Philips LED Panel Ledinaire RC065B

PHILIPS



L75	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	20	02	-10°C- 35°C	80	0.9

Art. n°	Description
<b>RC065B - UGR&lt;19</b>	
249533	28W 3400lm 4000K 60x60
249470	28W 3400lm 6500K 60x60
249487	28W 3400lm 3000-3500-4000K CCT 60x60
249525	28W 3400lm 3000-3500-4000K CCT 30x120
<b>RC065B - UGR&lt;22</b>	
249530	28W 3400lm 4000K 60x60
249311	34W 3400lm 3000-3500-4000K CCT 60x60
248797	34W 3400lm 4000K 60x60
249214	34W 3400lm 6500K 60x60



## LED Panel



Art. n°	Description
245177	36W 3240lm 4000K 60x60cm
245178	36W 3240lm 4000K 30x120cm




## Ledvance Panel LED Eco


LEDVANCE

L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	40	02	0°C- 40°C	80	0.9

Art. n°	Description
<b>UGR&lt;19</b>	
251079	36W 3600lm 3000K 60x60
251077	36W 3600lm 4000K 60x60
251074	36W 3600lm 6500K 60x60
<b>UGR&lt;21</b>	
251081	36W 3600lm 6500K 60x60
<b>UGR&lt;22</b>	
249312	36W 3600lm 3000K 60x60
249313	36W 3600lm 4000K 60x60



## Ledvance LED Panel Compact




L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20/40	02	-10°C- 45°C	80/90	0.9

Art. n°	Description
<b>UGR&lt;19 &amp; CRI 80</b>	
246960	33W 3630lm 3000K 60x60
246967	33W 3630lm 4000K 60x60
247004	33W 3630 4000K 30x120
246971	33W 3630lm 6500K 60x60
250538	35W 3300lm 3000-4000K 60x60
247015	53W 5830lm 4000K 60x120
<b>UGR&lt;19 &amp; CRI 90</b>	
246976	30W 3120lm 4000K 60x60
246982	35W 3630lm 4000K 60x60
247010	35W 3640 4000K 30x120
<b>UGR&lt;22 CRI 80</b>	
246943	33W 3630lm 3000K 60x60
246950	33W 3630lm 4000K 60x60
246954	33W 3630lm 6500K 60x60
246997	33W 3630 4000K 30x120
249873	53W 5830lm 4000K 60x120



## Ledvance LED Panel Flex



L80	Warranty	IP	IK	°C	CRI	PF
100000h	7 years	40	02	-10°C- 50°C	80	0.9

Art. n°	Description
<b>UGR&lt;19</b>	
250539	17-21-25-30W Max 4800lm 3000K 60x60
250541	30W 4800lm 3000K 60x60 Dali 2
250543	17-21-25-30W Max 4860lm 4000K 60x60
250544	30W 4860lm 4000K 60x60 Dali 2
<b>UGR&lt;23</b>	
250542	17-21-25-30W Max 4860lm 4000K 60x60
249887	30W 4860lm 4000K 60x60 Dali 2



## Bandraster fixtures UGR<19

L90	Warranty	IP	IK	°C	CRI	PF
54000h	5 years	20	04	-10°C- 50°C	80	0.9

Art. n°	Description
242094	32-55W 830 1200x100
242095	32-55W 830 1200x100 ventilation
242092	32-55W 840 1200x100
242093	32-55W 840 1200x100 ventilation
242103	30-55W 830 1200x150
242096	30-55W 830 1200x150 ventilation
242097	30-55W 840 1200x150
242102	30-55W 840 1200x150 ventilation
242089	30W 840 1500x300
242088	30W 840 1500x300 ventilation
242090	30W 840 1720x145
242091	30W 840 1720x145 ventilation
242106	30W 830 1720x150
242107	30W 830 1720x150 ventilation
242104	30W 840 1720x150
242105	30W 840 1720x150 ventilation
242086	30W 840 1720x185
242087	30W 840 1720x185 ventilation
242100	36-62W 830 1800x150
242098	36-62W 830 1800x150 ventilation
242099	36-62W 840 1800x150
242101	36-62W 840 1800x150 ventilation

Discountlight



Suitable for EIA  
Different dimensions on request

## Sport fixtures

L80	Warranty	IP	IK	°C	CRI	PF
54000h	5 years	40	10	-25°C- 25°C	80	0.98

Discountlight offers a wide range of lights designed for sports facilities. The sports lighting for sports halls, gyms and sport halls meets all the requirements set. They are resistant to ball impact, take into account glare and ensure an even distribution of light. Are you interested? Then get in touch with us!

Discountlight







# LED Battens

## Noxion LED Waterproof Batten Pronox V3.0

**NOXION**  
Best in class lighting

L80	Warranty	IP	IK	°C	CRI	PF
50000h	6 years	65	10	-20°C- 45°C	80	0.9



Description	Standard	Emergency	Sensor	Dali
11/13/15/18W Max 2500lm CCT 60cm	247473	-	-	-
18/22/26/30W Max 4200lm CCT 120cm	247474	-	-	-
19/23/27/32W Max 4200lm CCT 120cm	-	248406	-	-
30W Max 4200lm CCT 120cm	-	-	248408	248407
35/43/55/65W Max 9100lm CCT 150cm	247475	247476	-	-
43W Max 6020lm CCT 150cm	-	249629	248409	-
65W 9100lm CCT 150cm	-	249630	247477	247478
<b>Accessories</b>				
Stainless clips (12pcs)	240965			
Surface mounted bracket (2pcs)	248876			

### More information about Sensor :

- Adjustable detection area from 50% - 100%
- Hold time : 5s ~ 5min
- Stand-by time : 0s - 30s - 5min - always
- Stand-by dim level : 10% - 30%
- Daylight sensor 2 lux ~ 50lux - disable

## Noxion LED Waterproof Batten Ecowhite V3.0

**NOXION**  
Best in class lighting

L80	Warranty	IP	IK	°C	CRI	PF
50000h	4 years	65	10	-20°C- 40°C	80	0.9

Art. n°	Description
247463	20W 2400/2600lm 3000/4000/6500k 60cm
247464	24/36W 2900/3120lm- 4320/4680lm 3000/4000/6500K 120cm
247465	36/50W 4300/4680lm- 6000/6500lm 3000/4000/6500K 150cm




## Philips LED Waterproof Batten Coreline WT120C

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	08	-20°C- 35°C	80	0.95

Art. n°	Description
<b>Standard</b>	
248761	LED19S 15W 1900lm 840 60cm
200304	LED22S 22W 2700lm 840 120cm
164007	LED40S 30W 4000lm 840 120cm
234661	LED40S 30W 4000lm 840 120cm 3x through wiring
234660	LED34S 25W 3400lm 840 150cm 3x through wiring
234659	LED27S 21W 2700lm 840 120cm 3x through wiring
200095	LED60S 42,9W 6000lm 840 150cm
225517	LED60S 44W 6000lm 840 150cm 3x through wiring
248770	LED80S 57W 8000lm 840 150cm
235563	LED80S 60W 8000lm 840 150cm 3x through wiring
235562	LED80S 68W 8000lm 840 150cm
251206	LED100S 62W 10000lm 840 150cm
251203	LED120S 75W 12000lm 840 150cm
<b>Switch power</b>	
248764	LED27/45S 18/32W 2700/4500lm 840 120cm
248767	LED37/60S 25/43W 3700/6000lm 840 150cm
<b>With options</b>	
225300	LED40S 34W 4000lm 840 120cm Emergency
237236	LED60S 49W 6000lm 840 150cm Emergency

PHILIPS



## Philips LED Waterproof Batten Ledinaire WT060C

L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	66	08	-20°C- 45°C	80	0.9

Art. n°	Description
238191	15W 1800lm 840 60cm
238192	30W 3600lm 840 120cm
246315	30W 3600lm 865 120cm
238196	46W 5600lm 865 150cm

PHILIPS



## Ledvance LED Batten Damp Proof



L70	Warranty	IP	IK	°C	CRI	PF
50000h/ 70000h	3/5 years	65	08	-25°C- 40°C	80	0.9

Art. n°	Description
<b>Damp Proof Value (warranty 3 years - 50000h)</b>	
236365	9W 1080lm 840 60cm
236364	18W 2160lm 840 60cm
236360	20W 2400lm 840 120cm
236362	25W 3000lm 840 150cm
236361	40W 4800lm 840 120cm
236363	50W 6000lm 840 150cm
<b>Damp Proof Performance (warranty 5 years - 70000h)</b>	
240777	18W 2400lm 840 120cm
240778	18W 2400lm 865 120cm
240779	32W 4000lm 830 120cm
240780	32W 4400lm 840 120cm
240781	32W 4400lm 865 120cm
240782	26W 3500lm 840 150cm
240783	26W 3500lm 865 150cm
240784	46W 5750lm 830 150cm
240785	46W 6400lm 840 150cm
240786	46W 6400lm 865 150cm
240787	58W 8000lm 840 150cm
240788	58W 8000lm 865 150cm
240789	81W 11000lm 840 150cm
240790	81W 11000lm 865 150cm



## LED Waterproof Batten



Art. n°	Description
245179	17W 1870lm 4000K 120cm
245180	34W 3740lm 4000K 120cm
245181	27W 2970lm 4000K 150cm
245182	50W 5500lm 4000K 150cm



## Noxion LED Batten Batline T5

**NOXION**  
Best in class lighting



L80	Warranty	IP	IK	°C	CRI	PF
30000h	4 years	20	02	-15°C- 40°C	80	0.5

Art. n°	Description
	<b>V2.0 CCT</b>
247468	4W 480/530/520lm 3000/4000/6500K 30cm
247469	6W 990/1080/1050lm 3000/4000/6500K 60cm
247470	11W 1340/1470/1440lm 3000/4000/6500K 90cm
247471	15W 1855/2020/1980lm 3000/4000/6500K 120cm
247472	19W 2370/2580/2500lm 3000/4000/6500K 1500cm
257473	Fixing accessories

## Ledvance LED Batten Linear Compact Switch

 **LEDVANCE**



L70	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	03	-10°C- 40°C	80	0.5

Art. n°	Description
234131	4W 400lm 3000K 30cm
234132	4W 400lm 4000K 30cm
234133	8W 800lm 3000K 60cm
234134	8W 800lm 4000K 60cm
234135	12W 1200lm 3000K 90cm
234136	12W 1200lm 4000K 90cm
234129	14W 1400lm 3000K 120cm
234130	14W 1500lm 4000K 120cm
249795	17W 1800lm 3000K 150cm
249797	17W 1900lm 4000K 150cm



## Philips LED Batten Ledinaire BN021C

PHILIPS



L70	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	20	02	-20°C- 40°C	80	0.9

Art. n°	Description
243483	LED5S 5W 480lm 3000K 30cm
243484	LED5S 5W 540lm 4000K 30cm
243475	LED10S 10W 960lm 3000K 60cm
243476	LED10S 10W 1050lm 4000K 60cm
243477	LED14S 15W 1450lm 3000K 90cm
243478	LED15S 15W 1600lm 4000K 90cm
243479	LED19S 20W 1900lm 3000K 120cm
243480	LED20S 20W 2100lm 4000K 120cm
243481	LED24S 24W 2400lm 3000K 150cm
243482	LED25S 24W 2600lm 4000K 150cm





## Noxion LED Waterproof Batten Housing Poseidon V2.0

**NOXION**  
Best in class lighting



Warranty	IP	IK	°C
6 years	65	08	-15°C- 40°C

Art. n°	Description
237531	60cm for 1x18W
237532	60cm for 2x18W
237533	120cm for 1x36W
237534	120cm for 2x36W
237535	150cm for 1X58W
237536	150cm for 2x58W

## Ledvance LED Waterproof Batten Damp Proof Housing

 **LEDVANCE**



Warranty	IP	IK	°C
5 years	65	08	-30°C- 40°C

Art. n°	Description
249013	60cm for 1 tube
249014	60cm for 2 tubes
249015	120cm for 1 tube
249016	120cm for 2 tubes
249017	150cm for 1 tube
249018	150cm for 2 tubes



## Noxion Batten Click LED T8

NOXION  
Best in class lighting



Warranty	IP	IK	°C
4 years	20	02	-20°C- 50°C

### Art. n° Description

#### 1 tube

235282	1x18W 60cm
249477	1x36W 120cm
249478	1x58W 150cm

#### 2 tubes

235285	2x18W 60cm
249480	2x36W 120cm
249481	2x58W 150cm

## Noxion Batten Click Reflector LED T8

NOXION  
Best in class lighting



Warranty	IP	IK	°C
4 years	20	02	-20°C- 50°C

### Art. n° Description

#### 1 tube

249482	1x36W 120cm
235289	1x58W 150cm

#### 2 tubes

249484	2x36W 120cm
249485	2x58W 150cm

## LED Batten Click T8

 BRIGHT CHOICE



### Art. n° Description

245183	1x36W 120cm
245184	1x58W 150cm



A photograph of a modern pharmacy interior. The ceiling is a dark blue grid with recessed circular lights and long, white LED trunking lights. The floor is a light-colored, polished tile. In the foreground, there are white shelves stocked with various medications. The background shows more pharmacy aisles and a counter area.

# LED Trunking

## Noxion LED Trunking NX-Line

NOXION  
Best in class lighting



L80	Warranty	IP	IK	°C	CRI	PF
50000h	6 years	20	02	-10°C- 45°C	80	0.9

Description	Standard	DALI	Emergency	PC Diffuser	Lens Optic
<b>V3.0</b>					
35/40/45/50W 4000K FD120 WH				251851	251518
35/40/45/50W 4000K WD90	250373				
55/60/65/70W 4000K FD120	250375				
40/50/60/70 4000K WD90					251472
55/60/65/70W 4000K WD90			251486		251850
<b>V2.0</b>					
35/40/45/50W 4000K WD90					248185
35/40/45/50W 4000K FD120				248160	
35/40/45/50W 4000K NR60				248184	
55/60/65/70W FD120		248169			248186
55/60/65/70W WD90		248168	248173		248188
55/60/65/70W NR60		248167			248187
55/60/65/70W SP30					248189
70W 4000K SP30		248175			
70W 4000K WD90		248245			
70W 4000K FD120		248174			

### Accessories

235031	Linear Light NX-Line Trunking 8/1500
235032	Linear Light NX-Line Trunking 8/1500   End Part
235033	Linear Light NX-Line Trunking 8/3000
235034	Linear Light NX-Line Trunking 8/3000 End Part
235153	Linear Light NX-Line Track Light Cover 8/1500
235135	Blind Cover without caps 1500
237520	Blind Cover with caps 1500
235136	Blind Cover caps
235139	End Cap
235145	Feed in Box 8
235142	Cable Gland M20x1.5mm Ø7mm-14mm
235137	Surface Mounting Clip Ø13.5mm Hole
235131	Suspension Cord 3M
235144	Feed in Connector
245483	Suspension hook (without chain)



WD90



FD120



NR60



SP30



**Discountlight Exclusief:** deze producten worden exclusief aangeboden aan installateurs en zijn niet beschikbaar buiten Discountlight.

## Noxion LED Easytrunk



### Available on the webshop:

- Siteco
- Veko
- NS Lighting

Accessories available on site or on request

L80	Warranty	IP	IK	°C	CRI	PF
72000h	6 years	40	06	-	80	0.98

Art. n°	Description
236980	Noxion EasyTrunk for NLS-R36-850-90D
248896	Noxion EasyTrunk for NLS-R58-840-90D
236982	Noxion EasyTrunk for NLS-R58-850-90D
237618	Noxion EasyTrunk for REGIOLX-SDT-850-30D
236985	Noxion EasyTrunk for REGIOLX SDT-850-90D
236987	Noxion EasyTrunk for REGIOLX SMT-850-90D
236991	Noxion EasyTrunk for RIDI VLG-T8-850-90D
248654	Noxion EasyTrunk for RIDI VLG-T8-850-120D
236993	Noxion EasyTrunk for RIDI VLT5-850-90D
236995	Noxion EasyTrunk for RIDI VLT8-850-90D
241370	Noxion EasyTrunk for TRILUX T5E-840-90D
237001	Noxion EasyTrunk for TRILUX T5E-850-90D
241668	Noxion EasyTrunk for TRILUX T8E-840-90D
237003	Noxion EasyTrunk for TRILUX T8E-850-90D
237005	Noxion EasyTrunk for TTX200-36W-850-90D
240148	Noxion EasyTrunk for TTX200-58W-830-90D
237527	Noxion EasyTrunk for TTX200-58W-840-90D
237007	Noxion EasyTrunk for TTX200-58W-850-90D
245023	Noxion Easytrunk for TTX200-58W-865-90D
237010	Noxion EasyTrunk for TTX400-T5-850-90D
238439	Noxion EasyTrunk for TTX400-T8-840-90D
243398	Noxion EasyTrunk for TTX400-T8-850-30D
246069	Noxion EasyTrunk for TTX400-T8-850-60D
237012	Noxion EasyTrunk for TTX400-T8-850-90D
237025	Noxion EasyTrunk for TMX204-T8-58W-840-120D
237771	Noxion EasyTrunk for TMX204-T8-58W-850-90D
245747	Noxion EasyTrunk for VEKO PNR NEW-840-90D
237021	Noxion EasyTrunk for VEKO PNR New-850-90D
244314	Noxion EasyTrunk for ZUM tecton-840-120D
237020	Noxion EasyTrunk for ZUM tecton-850-90D
246095	Noxion Easytrunk for ZUM-ZX1-T8-840-120D
237014	Noxion EasyTrunk for ZUM-ZX1-850-90D
237016	Noxion EasyTrunk for ZUM-ZX2-T5-850-90D
237018	Noxion EasyTrunk for ZUM-ZX2-T8-850-90D
237019	Noxion Easytrunk for ZUM-ZX2-T8-850-90D-EM
246242	Noxion EasyTrunk for ALP 15W-940-15-60D
246243	Noxion EasyTrunk for ALP 25W-930-15-60D
244331	Noxion EasyTrunk for ALP 32/42/50/60W-850-90D Dali

### 3 steps to install EasyTrunk



1 Unclip the old light fixture



2 Clip on the new one



3 Test and turn on



# LED Highbays

## Noxion LED Highbay Concord V4

NOXION  
Best in class lighting



L80	Warranty	IP	IK	°C	CRI	PF
100000h	6 years	65	08	-30°C- 50°C	80	0.93

Art. n°	Description
249174	100/120/150/200W Max 34000lm 4000-5200-6500K 90D 1-10V
249175	100/120/150/200W Max 34000lm 4000-5200-6500K 120D 1-10V
249641	200W 30600lm 4000K 90D Dali 2



**Discountlight Exclusief:** deze producten worden exclusief aangeboden aan installateurs en zijn niet beschikbaar buiten Discountlight. Meer informatie p.91

## Noxion LED Highbay Ecowhite V2.0

NOXION  
Best in class lighting



L80	Warranty	IP	IK	°C	CRI	PF
100000h	4 years	65	08	-20°C- 50°C	80	0.95

Art. n°	Description
249170	100W 16000lm 4000K 90D 1-10V
249171	100W 16000lm 4000K 120D 1-10V
249172	200W 32000lm 4000K 90D 1-10V
249173	200W 32000lm 4000K 120D 1-10V

## Accessories for Highbay Concord / Ecowhite /Pro-clean

NOXION  
Best in class lighting



A



B



C



D



E

Model	Description	Concord V4	Ecowhite V2.0
A	PC diffuser with cover	249366	249366
B	60° Circular PC Lens	249367	249367
B	90° Circular PC Lens	250432	250432
B	120° Circular PC Lens	249644	249644
C	Remote controller of microwave sensor	249369	249369
D	Surface Mounting Bracket	249368	249368
E	Motion detector	249370	249370



## Philips LED Highbay Coreline G5

L80	Warranty	IP	IK	°C	CRI	PF
75000h	5 years	65	08	-30°C- 45°C	80	0.9

Art. n°	Description
---------	-------------

### PSU NB 55°

246341	LED105S 67W 10500lm 4000K 55D
246351	LED200S 126W 20000lm 4000K 55D
246359	LED250S 157W 25000lm 4000K 55D
246367	LED300S 192W 30000lm 4000K 55D

### PSU WB 85°

246343	LED105S 67W 10500lm 4000K 85D
246353	LED200S 126W 20000lm 4000K 85D
246361	LED250S 157W 25000lm 4000K 85D
246369	LED 300S 192W 30000lm 4000K 85D

### DALI NB 55°

249536	LED105S 75W 10500lm 4000K 55D DALI
246347	LED200S 134W 20000lm 4000K 55D DALI
246355	LED250S 168W 25000lm 4000K 55D DALI
246363	LED300S 205W 30000lm 4000K 55D DALI

### DALI WB 85°

246345	LED105S 67W 10500lm 4000K 85D DALI
246349	LED200S 134W 20000lm 4000K 85D DALI
246357	LED250S 168W 25000lm 4000K 85D DALI
246365	LED300S 205W 30000lm 4000K 85D DALI

PHILIPS



## Ledvance Highbay LED Compact Value

L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	65	06	-20°C- 45°C	80	0.9

Art. n°	Description
---------	-------------

249823	83W 1000lm 4000K 110D
246397	83W 1000lm 6500K 110D
249824	133W 16000lm 4000K 110D
249825	166W 20000lm 4000K 110D
249827	166W 20000lm 6500K 100D
249826	225W 27000lm 4000K 110D

LEDVANCE



## Ledvance LED Highbay Gen 4 | Gen 5



L80	Warranty	IP	IK	°C	CRI	PF
50000h 120000h	5 years	65/66	08	-30°C- 50°C	80	0.9

Art. n°	Description
<b>GEN 4   with sensor</b>	
243772	87W 13000lm 4000K 110°
243770	147W 22000lm 4000K 70°
243769	147W 22000lm 4000K 110°
243771	190W 27000lm 4000K 110°
<b>GEN 5</b>	
251138	75W 13200lm 4000K 70° 1-10V
251141	75W 13500lm 4000K 110° 1-10V
251135	75W 13125lm 6500K 70° 1-10V
251024	75W 13350lm 6500K 110° 1-10V
251161	150W 26250lm 4000K 70° 1-10V
251165	150W 26700lm 4000K 110° 1-10V
251156	150W 26250lm 6500K 70° 1-10V
251158	150W 26250lm 6500K 110° 1-10V
251150	200W 35000lm 4000K 70° 1-10V
251153	200W 36200lm 4000K 110° 1-10V
251144	200W 35000lm 6500K 70° 1-10V
251147	200W 35000lm 6500K 110° 1-10V



Gen 4



Gen 5



## LED Highbay



Art. n°	Description
249154	100W 13000lm 4000K 90D
249155	150W 19500lm 4000K 90D
249156	200W 26000lm 4000K 90D



A modern, multi-story building is shown at night, illuminated by several bright LED floodlights mounted on its exterior walls. The lights create a warm, yellow glow that highlights the building's architectural details, including its windows and a central entrance door. The sky is dark, and a portion of a dark-colored car is visible in the lower right corner of the frame. A blue banner with white text is overlaid on the middle of the image.

# LED Floodlights & Streetlights



## Noxion LED Floodlight Beamy G3



NOXION  
Best in class lighting



IK07

IP65



L80	Warranty	IP	IK	°C	CRI	PF
30000h	4 years	65	07	-20°C- 40°C	80	0.9

Description	Standard	Sensor
10W 1100lm 3000K	251487	248946
10W 1100lm 4000K	251488	248947
20W 2200lm 3000K	251489	248948
20W 2200lm 4000K	251490	248949
30W 3300lm 3000K	251491	248950
30W 3300lm 4000K	251492	248951
50W 5500lm 3000K	251493	248952
50W 5500lm 4000K	251494	248953

## Philips LED Floodlight Ledinaire



PHILIPS



IK07

IK08



L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	65	07/08	-25°C- 40°C	80	0.95

Description	Standard	Sensor
<b>BVP167   IK07</b>		
10W Max 1200lm 3CCT Sym	249749	249741
20W Max 2400lm 3CCT Sym	249742	249743
30W Max 3600lm 3CCT Sym	249744	249745
50W Max 6000lm 3CCT Sym	249746	249747
70W Max 8400lm 3CCT Sym	249748	
<b>BVP169   IK08</b>		
100W Max 12000lm 3CCT Sym	249696	
150W Max 18000lm 3CCT Sym	249698	
200W Max 24000lm 3CCT Sym	249700	

## LED Floodlight



BRIGHT CHOICE

Art. n°	Description
245410	20W 2000lm 3000K
245411	20W 2000lm 4000K
245412	50W 5000lm 3000K
245413	50W 5000lm 4000K



## Ledvance LED Floodlight

 LEDVANCE



Black



White

L80	Warranty	IP	IK	°C	CRI	PF
100000h	5 years	66	07	-30°C- 50°C	80	0.9



Description	Black	Black Sensor	White	White Sensor
8W 1100lm 3000K	251020	250828	251016	250824
8W 1200lm 4000K	251014	250821	251012	250818
8W 1200lm 6500K	251010	251132		
17W 2200lm 3000K	251002	250816	251001	250813
17W 2400lm 4000K	251000	250810	250999	250809
17W 2400lm 6500K	250998		250997	
41W 5500lm 3000K	251034	250807	251023	250805
41W 6000lm 4000K	251022	250804	251019	250862
41W 6000lm 6500K	251015		251013	

## Noxion LED Floodlight Beam / ProBeam

 NOXION  
Light to create lighting



L80	Warranty	IP	IK	°C	CRI	PF
70000h	6 years	66	08	-30°C- 40°C	80	0.95

Description	Asymetrical	Symmetrical
<b>Beam</b>		
40/80/100W Max14000lm CCT	248955	248954
<b>ProBeam</b>		
130/170/210W Max29400lm CCT	248957	248956



## Ledvance LED Floodlight Symmetrical

 LEDVANCE

L80	Warranty	IP	IK	°C	CRI	PF
100000h	5 years	66	08	-30°C- 40°C	80	0.95

Art. n°	Description
251009	69W 19150lm 3000K 100°
251007	69W 10000lm 4000K 100°
251006	69W 10000lm 6500K 100°
251005	100W 14000lm 3000K 100°
251004	100W 15000lm 4000K 100°
251003	100W 15000lm 6500K 100°
250996	133W 18600lm 3000K 100°
250995	133W 20000lm 4000K 100°
250994	133W 20000lm 6500K 100°
250993	167W 23400lm 3000K 100°
250992	167W 25000lm 4000K 100°
250991	167W 15000lm 6500K 100°



## Ledvance Streetlight LED Area

 LEDVANCE

L70	Warranty	IP	IK	°C	IRC	PF
100000h	5 years	66	08	-30°C- 50°C	70	0.9

Art. n°	Description
<b>RV35ST</b>	
251112	90W 11700lm 2700K 155x69° Asym
251110	90W 11700lm 3000K 155x69° Asym
251108	90W 12150lm 4000K 155x69° Asym
251107	90W 12150lm 6500K 155x69° Asym
251121	120W 15600lm 2700K 155x69° Asym
251118	120W 15600lm 3000K 155x69° Asym
251116	120W 16200lm 4000K 155x69° Asym
251114	120W 16200lm 6500K 155x69° Asym
251133	150W 19500lm 2700K 155x69° Asym
251130	150W 19500lm 3000K 155x69° Asym
251127	150W 20250lm 4000K 155x69° Asym
251124	150W 20250lm 6500K 155x69° Asym
<b>RV20ST</b>	
252307	30W 4050lm 6500K 160x5 Asym
252308	45W 6075lm 6500K 165x65° Asym
252309	65W 8775lm 6500K160x58° Asym



## Noxion LED Streetlight

**NOXION**  
Best in class lighting

L70	Warranty	IP	IK	°C	CRI	PF
25000h	4 years	65	06	-20°C- 40°C	70	0.9

Art. n°	Description
249066	30W 3600lm 4000K 70x140° Asym
249067	50W 6000lm 4000K 70x140° Asym
249068	70W 8400lm 4000K 70x140° Asym
249069	100W 12000lm 4000K 70x140° Asym
249070	150W 18000lm 4000K 70x140° Asym

### Sensor

249071	50W 6000lm 4000K 70x140° Asym
249072	70W 8400lm 4000K 70x140° Asym
249073	100W 12000lm 4000K 70x140° Asym
249074	150W 18000lm 4000K 70x140° Asym



## Ledvance LED Streetlight Area Value

**LEDVANCE**

L70	Warranty	IP	IK	°C	CRI	PF
100000h	5 years	66	08	-30°C- 50°C	70	0.9

Art. n°	Description
248392	30W 3900lm 2700K 58x160° Sym
248624	30W 3900lm 3000K 58x160° Sym
248626	30W 4050lm 4000K 58x160° Sym
248628	45W 5850lm 2700K 58x160° Sym
248630	45W 5850lm 3000K 58x160° Sym
248348	45W 6075lm 4000K 58x160° Sym
248393	65W 8450lm 2700K 58x160° Sym
248632	65W 8775lm 4000K 58x160° Sym



## Ledvance Streetlight LED Lantern

**LEDVANCE**

L70	Warranty	IP	IK	°C	IRC	PF
100000h	5 years	66	10	-30°C- 50°C	70	0.9

Description	Grey	Black
15-29W Max 3945lm 3000/4000K Sym	250443	249475
34-59W Max 8200lm 3000/4000K Sym	250442	250444



Grey



Black



A photograph of a hallway with blue walls and a circular LED light fixture. A blue banner with the text "LED Bulkheads" is overlaid on the image. The hallway features a wooden door on the left, a glass door in the center, and a wooden door on the right. A white electrical outlet is visible on the blue wall. The floor is light-colored.

# LED Bulkheads

## Noxion LED Bulkhead Pro

NOXION  
Best in class lighting

L80	Warranty	IP	IK	°C	CRI	PF
50000h	6 years	66	10	-20°C- 40°C	80	0.95

Art. n°	Description
241962	13W 1400lm 2700/3000/4000K Ø300mm
241365	20W 2000lm 2700/3000/4000K Ø300mm
<b>With Corridor Sensor</b>	
241963	13W 1400lm 2700/3000/4000K Ø300mm
241366	20W 2000lm 2700/3000/4000K Ø300mm
<b>With EM3HR</b>	
241964	13W 1400lm 2700/3000/4000K Ø300mm
241367	20W 2000lm 2700/3000/4000K Ø300mm
<b>With Corridor Sensor + EM3HR</b>	
241965	13W 1400lm 2700/3000/4000K Ø300mm
244728	20W 2000lm 2700/3000/4000K Ø300mm




## Noxion LED Bulkhead Corido

NOXION  
Best in class lighting

L80	Warranty	IP	IK	°C	CRI	PF
30000h	4 years	64	02	-25°C- 45°C	80	0.9

Art. n°	Description
241912	18W 1386lm 3000K Ø360mm
241913	18W 1530lm 4000K Ø360mm
241916	22W 1760lm 3000K Ø410mm
241917	22W 1980lm 4000K Ø410mm
<b>With Corridor Sensor</b>	
241914	18W 1386lm 3000K Ø360mm
241915	18W 1530lm 4000K Ø360mm
241918	22W 1760lm 3000K Ø410mm
241919	22W 1980lm 4000K Ø410mm
<b>With EM1HR</b>	
245473	18W 1386lm 3000K Ø360mm
245474	18W 1530lm 4000K Ø360mm
245476	22W 1760lm 3000K Ø410mm
245477	22W 1980lm 4000K Ø410mm
<b>With Corridor Sensor + EM1HR</b>	
245475	18W 1386lm 3000K Ø360mm
245024	18W 1530lm 4000K Ø360mm
245226	22W 1760lm 3000K Ø410mm
245020	22W 1980lm 4000K Ø410mm



## Ledvance LED Bulkhead Ronde IP65

L80	Warranty	IP	IK	°C	CRI	PF
70000h	3 years	65	10	-20°C- 40°C	80	0.95

Art. n°	Description
<b>Black with sensor   CEE</b>	
251808	10W 1220lm 3000/4000K Ø262mm
251809	17,5W 2280lm 3000/4000K Ø312mm
<b>White with sensor   CEE</b>	
251508	10W 1220lm 3000/4000K Ø262mm
251810	17,5W 2280lm 3000/4000K Ø312mm

 LEDVANCE



Black



White

IP66

IK10

CEE

CCT



## Ledvance LED Bulkhead Surface Circular

L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	44	03	-20°C- 40°C	80	0.9

Description	Standard	Sensor
13W 920lm 3000K Ø250mm	243726	243724
13W 960lm 4000K Ø250mm	243727	243725
18W 1440lm 3000K Ø350mm	243730	243728
18W 1440lm 4000K Ø350mm	243731	243729
24W 1920lm 3000K Ø400mm	243734	243732
24W 1920lm 4000K Ø400mm	243735	243733
42W 3500lm 3000K Ø500mm	247012	247023
42W 3500lm 4000K Ø500mm	247017	247026

 LEDVANCE



## Philips Ledinaire Bulkhead WL070V

L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	65	08	-20°C- 40°C	80	0.9

Art. n°	Description
248746	17W 1700lm 3000/4000K Ø285mm
243317	18,7W 1700lm 3000K Ø285mm
243319	18,7W 1700lm 4000K Ø285mm
243318	20,9W 1700lm 3000K Ø285mm Sensor
243320	20,9W 1700lm 4000K Ø285mm Sensor

**PHILIPS**



IP65

IK08

CCT



## Philips LED Bulkhead Coreline BWC110

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	54	08	-20°C- 50°C	80	0.80

Art. n°	Description
206956	9W 668lm 3000K 242x110mm Black
206958	9W 668lm 3000K 242x110mm White
206960	14W 1336lm 3000K 282x178mm Black
206962	14W 1336lm 3000K 282x178mm White
<b>Daylight Sensor</b>	
206957	9W 668lm 3000K 242x110mm Black
206959	9W 668lm 3000K 242x110mm White
206961	14W 1336lm 3000K 282x178mm Black
206963	14W 1336lm 3000K 282x178mm White



PHILIPS

## Ledvance LED Bulkhead Compact

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	10	-20°C- 45°C	80	0.9

Art. n°	Description
250536	8W 840lm 3000K 356x115mm Black
250814	8W 840lm 3000/4000K 356x115mm White
<b>Daylight Sensor</b>	
250537	8W 840lm 3000K 356x115mm White
<b>Sensor</b>	
251251	8W 840lm 3000/4000K 356x115mm Black



LEDVANCE

## LED Bulkhead IP54

Art. n°	Description
252449	18W 1620lm 840

BRIGHT CHOICE





A modern conference room with a long glass table, red chairs, and recessed LED downlights in the ceiling. The room features a white ceiling with several circular recessed lights and a smoke detector. The walls are light-colored, and there is a glass partition wall on the right side. A blue banner with white text is overlaid on the center of the image.

# LED Downlights

## Noxion LED Downlight Apollo V2.0

L80	Warranty	IP	IK	°C	CRI	PF
70000h	6 years	20	03	-20°C- 50°C	80	0.9

Art. n°	Description
<b>V2.0</b>	
248329	6/9/12W Max-1500lm 3000/4000K Ø120mm
248324	6/9/12W Max-1960lm 3000/4000K Ø150mm
248326	15/20/25W Max-3060lm 3000/4000K Ø200mm
<b>V2.0 with reflector</b>	
248323	6/9/12W Max-1460lm 3000/4000K Ø120mm
248325	9/12/15W Max-1800lm 3000/4000K Ø150mm
248327	15/20/25W Max-2960lm 3000/4000K Ø200mm
<b>V1.0</b>	
243077	9W 1100lm 3000K Ø120mm
<b>V1.0 with reflector</b>	
243080	9W 1100lm 4000K Ø120mm
243082	20W 2300lm 3000K Ø200mm
<b>Accessories for V1.0 &amp; V2.0</b>	
243085	Ring Ø120mm   Frame Ø167mm
243086	Ring Ø200mm   Frame Ø240mm

NOXION  
Back to class lighting



without reflector



with reflector



## Noxion LED Downlight Slim V2.0

L80	Warranty	IP	IK	°C	CRI	PF
50000h	6 years	44	03	-20°C- 50°C	80	0.9

NOXION  
Back to class lighting



Description	Standard	Dali	Emergency
12W 1200lm 3000K Ø150mm	238898	238904	249233
12W 1200lm 4000K Ø150mm	238899	238905	-
20W 2000lm 3000K Ø200mm	238900	238906	238918
20W 2000lm 4000K Ø200mm	238901	238907	238919
24W 2400lm 3000K Ø200mm	238902	238908	-
24W 2400lm 4000K Ø200mm	238903	238909	-

## Noxion LED Downlight Ecowhite

NOXION  
Best in class lighting



Adjustable cutting size Ø55-175mm

L80	Warranty	IP	IK	°C	CRI	PF
30000h	4 years	20	05	-20°C- 40°C	80	0.9

Art. n°	Description
245015	18W 1530lm 3000/4000/6000K Ø55-175mm
<b>Accessories</b>	
245016	Round ring Black
245017	Round ring Polished Chrome
245018	Round ring Satin Nickel

## Noxion Downlight LED Hera

NOXION  
Best in class lighting

L80	Warranty	IP	IK	°C	CRI	PF
30000h	4 years	54	02	-20°C- 40°C	80	0.9

Description	White	Black
<b>Recessed «Flat»</b>		
9W Max-900lm 2700/3000/4000K Ø120mm	252185	252184
15W Max-900lm 2700/3000/4000K Ø150mm	252199	252198
21W Max-900lm 2700/3000/4000K Ø200mm	252187	252186
<b>Recessed «Medium»</b>		
9W Max-900lm 2700/3000/4000K Ø120mm	252189	252188
15W Max-1500lm 2700/3000/4000K Ø150mm	252191	252190
21W Max-2400lm 2700/3000/4000K Ø200mm	252200	252192
<b>Recessed «Deep»</b>		
9W Max-900lm 2700/3000/4000K Ø120mm	252201	252193
15W Max-1500lm 2700/3000/4000K Ø150mm	252202	252194
21W Max-2400lm 2700/3000/4000K Ø200mm	252203	252195
<b>Surface</b>		
15W Max-1500lm 2700/3000/4000K Ø150mm	252204	252196
21W Max-2400lm 2700/3000/4000K Ø200mm	252205	252197



Recessed Flat



Recessed Flat



Recessed Medium



Recessed Medium



Recessed Deep



Recessed Deep



Surface



Surface



## Noxion LED Downlight Triton

NOXION  
Best in class lighting



With reflector



Without reflector



L80	Warranty	IP	IK	°C	CRI	PF
50000h	6 years	54	03	-20°C- 40°C	80	0.9

Art. n°	Description
<b>With reflector</b>	
250424	13,5/18,5W Max-2400lm 3000/4000K 90D Ø150mm
250426	13,5/18,5W Max-2400lm 3000/4000K 90D Ø175mm
250428	13,5/18,5W Max-2400lm 3000/4000K 90D Ø200mm
250764	13,5/18,5W Max-2400lm 3000/4000K 90D Ø225mm
<b>Without reflector</b>	
250425	13,5/18,5W Max-2300lm 3000/4000K 90D Ø150mm
250763	13,5/18,5W Max-2300lm 3000/4000K 90D Ø175mm
250429	13,5/18,5W Max-2300lm 3000/4000K 90D Ø200mm
250765	13,5/18,5W Max-2300lm 3000/4000K 90D Ø225mm

## Noxion LED Downlight Leto

NOXION  
Best in class lighting

L80	Warranty	IP	IK	°C	CRI	PF
50000h	6 years	44	02	-20°C- 40°C	90	0.9

Art. n°	Description
249393	8W 960lm 3000K Ø120mm
249394	8W 960lm 4000K Ø120mm
249395	12W 1440lm 3000K Ø140mm
249396	12W 1440lm 4000K Ø140mm
249397	15W 1800lm 3000K Ø180mm
249398	15W 1800lm 4000K Ø180mm



## Philips Ledinaire Downlight DN065B

PHILIPS

L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	20	03	-20°C- 40°C	80	0.9

DN065B	Description
246870	12W 1200lm 3000K Ø150mm
246872	12W 1200lm 3000/4000/6500K CCT Ø150mm
246864	19W 2000lm 3000K Ø200mm
246866	19W 2000lm 3000/4000/6500K CCT Ø200mm



## Ledvance LED Downlight Slim DN105/155/180/210



Circular

Square

Available in square format

L65	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	20	03	0°C- 40°C	80	0.5

Art. n°	Description
233360	6W 430lm 3000K Ø105mm   Circular
233361	6W 430lm 4000K Ø105mm   Circular
233362	6W 430lm 6500K Ø105mm   Circular
233363	12W 1020lm 3000K Ø155mm   Circular
233364	12W 1020lm 4000K Ø155mm   Circular
233365	12W 1020lm 6500K Ø155mm   Circular
233366	18W 1530lm 3000K Ø210mm   Circular
233367	18W 1530lm 4000K Ø210mm   Circular

## Ledvance LED Downlight Slim DN150/200



L70	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	44	02	-20°C- 35°C	80	0.5

Art. n°	Description
<b>DN150</b>	
233336	14W 1190lm 3000K Ø150mm
233337	14W 1260lm 4000K Ø150mm
233338	14W 1330lm 6500K Ø150mm
<b>DN200</b>	
233339	25W 2250lm 3000K Ø200mm
233340	25W 2370lm 4000K Ø200mm
233341	25W 2370lm 6500K Ø200mm
233342	35W 2975lm 3000K Ø200mm
233343	35W 3150lm 4000K Ø200mm
233344	35W 3150lm 6500K Ø200mm

## LED Downlight



Standard

Slim

Art. n°	Description
245414	12W 1080lm 4000K 120D Ø110mm (Slim)
245415	18W 1620lm 4000K 120D Ø155mm (Slim)
245190	15W 1200lm 4000K 110D Ø175mm
245192	24W 1950lm 4000K 110D Ø285mm



# LED Strip

## Noxion LED Strip Naga

**NOXION**  
Best in class lighting

L70	Warranty	IP	IK	°C	CRI	PF
50000h	6 years	20/65	-	-	90	-

Description	IP20	IP65
SMD60 4,8W/m 927 5M	252781	251644
SMD60 4,8W/m 930 5M	252782	251646
SMD60 4,8W/m 940 5M	252783	251648
SMD60 4,8W/m 965 5M	252784	251650
SMD120 9,6W/m 927 5M	252785	251652
SMD120 9,6W/m 930 5M	252786	251654
SMD120 9,6W/m 940 5M	252787	251609
SMD120 9,6W/m 965 5M	252788	251611
SMD240 19,2W/m 927 5M	252789	251613
SMD240 19,2W/m 930 5M	252790	251615
SMD240 19,2W/m 940 5M	252791	251617
SMD240 19,2W/m 965 5M	252792	251619
COB320 8W/m 927 5M	252793	251621
COB320 8W/m 930 5M	252794	251623
COB320 8W/m 940 5M	252795	251625
COB320 8W/m 965 5M	252796	251627
<b>Dual White</b>		
SMD120 9,6W/m CCT 5M	251642	251631
<b>RGB + Dual White</b>		
SMD90 12W/m RGB+CCT 5M	251640	251629



SMD60



SMD120



SMD240



COB320



Dual white



RGB + Dual White



## Noxion Naga - Cables & Connectors



A



B



C



D



E



F

Model	Description	SMD60/120 & COB320 single color	SMD240 single color	SMD120 Dual white	SMD90 RGB + Dual white
A	Power DC Cable Plug (Single Color)	251633	251633	251633	251633
B	Strip to Strip Connector	251635	251645	251655	251657
C	Strip to Wire 15cm Connector	251637	251647	251656	251658
D	Strip to Strip 15cm Connector	251639	251649	251662	251659
E	Strip to DC Plug 15cm Connector	251641	251651	251664	251660
F	Strip to L Connector	251643	251653	251663	251661



## Noxion Naga - Drivers

Description	IP20	IP65
<b>Mean Well Driver</b>		
Driver   24V   35W	251790	-
Driver   24V   50W	251791	-
Driver   24V   75W	251792	251797
Driver   24V   100W	251793	251798
Driver   24V   150W	251794	251799
Driver   24V   200W	251795	251800
Driver   24V   320W	-	251801
Driver   24V   450W	251796	-



IP20



IP65

## Noxion Naga - Controllers & Remote controls



A



B



C



D



E



F


Model	Description	Single Color	Dual White	RGB + Dual White
<b>Controller</b>				
A	5 in1 DALI Controller	251830	-	-
A	5-1 Controller Wifi + 2,4ghz	251832	-	-
A	5-1 Controller Zigbee + 2,4ghz	251833	-	-
A	2 in 1 Controller	-	251834	-
A	3 in 1 Controller	-	-	251835
<b>Remote</b>				
B	1 Zone Remote	251837	251837	-
C	4 Zone Remote	251836	251836	251838
D	Zigbee Remote	-	-	251839
E	1 Zone wall remote Black	251841	251841	251843
F	1 Zone wall remote White	251840	251840	251842

A modern living room with a beige sectional sofa, a grey shag rug, and a wire mesh coffee table. Large floor-to-ceiling windows offer a view of a pool and outdoor furniture. The ceiling is white with several recessed LED spotlights. A blue banner with white text is overlaid on the image.

# LED Spots

## Noxion Recessed Spot Housing

**NOXION**  
Best in class lighting



Model	Description	White	Aluminium	Black	Tiltable	Cut	LxW or Ø
A	Boxi IP20	220658	232027	220657	40°	80mm	92mmx92mm
B	Drome IP20	220652	232025	220651	40°	69mm	Ø82mm
C	Logic IP20	220655	232026	220654	40°	80mm	Ø92mm
D	Vision IP20	220649	232024	220648	40°	69mm	Ø82mm
E	D-Flex IP20	220646	-	-	40°	70mm	80mmx80mm
F	Flox IP20	220640	232022	-	40°	70mm	Ø82mm
G	D-Round IP20	220644	232023	-	-	70mm	Ø82mm
H	Deep IP20	220645	-	-	-	70mm	82mmx82mm
I	Fix IP20	220638	-	-	-	70mm	Ø82mm
J	Rondo IP20	220647	-	-	-	70mm	Ø90mm

## Noxion LED Downlight Forza

**NOXION**  
Best in class lighting


L80	Warranty	IP	IK	°C	CRI	PF
50000h	6 years	20	02	-20°C- 40°C	90	0.95

Art. n°	Description
245302	35W 3000lm 930 36D White Ø160mm
245303	35W 3300lm 940 36D White Ø160mm
245304	35W 3000lm 930 36D Black Ø160mm



## Noxion Recessed Spot

**NOXION**  
Best in class lighting



Model	Description	White	Aluminium	Black	Tilttable	Cut	Ø
<b>A</b>	Starlight IP54- 400lm- 2700K- Dim	-	224361	-	-	Ø72mm	Ø85mm
<b>B</b>	Ember IP65- 400lm- 2700K- Dim	244600	244611	-	-	Ø70mm	Ø80mm
<b>C</b>	Gimax IP44- 400lm- 2700K- Dim	-	224358	-	-	Ø74mm	Ø80mm
<b>D</b>	Hydro IP65 Fireproof- 400lm- 2700K- Dim	-	244612	-	30°	Ø83mm	Ø95mm
<b>E</b>	Aqua IP65 Fireproof- 400lm- 2700K- Dim	-	242001	-	30°	Ø92mm	Ø100mm
<b>F</b>	Gimba IP44- 400lm- 2700K- Dim	-	224360	-	-	Ø74mm	Ø80mm
<b>G</b>	Forseti IP44- 400lm- 2700K- Dim	-	224357	-	-	Ø72mm	Ø80mm
<b>H</b>	H20 IP65 Fireproof- 585lm- 2700K- Dim	244603	-	-	-	Ø70mm	Ø85mm
<b>I</b>	Slim IP54- 600lm- 2700K- Dim	245688	245690	245689	60°	Ø75mm	Ø85mm
<b>I</b>	Slim IP54- 600lm- 3000K- Dim	244924	-	244925	60°	Ø75mm	Ø85mm
<b>I</b>	Slim IP54- 600lm- 4000K- Dim	245682	-	245683	60°	Ø75mm	Ø85mm
<b>I</b>	Slim IP54- 600lm- 2000/3000K- Dim-to-warm	245685	-	-	60°	Ø75mm	Ø85mm

## LED Recessed Spot

**BRIGHT CHOICE**

Art. n°	Description
245188	12W 900lm 3000K 60D UGR<19 Ø90
245189	15W 1200lm 3000K 60D UGR<19 Ø110



## Ledvance LED Spot



Model	Description	White	Black	Aluminium	Recoverable	Cut	Ø
A	Spot Fix 8W 640lm 927 Dim IP44	247021	247040	-	No	Ø68mm	Ø81mm
	Spot Fix 8W 640lm 930 Dim IP44	247029	247045	247052	No	Ø68mm	Ø81mm
	Spot Fix 8W 680lm 940 Dim IP44	247034	-	-	No	Ø68mm	Ø81mm
B	Spot Air Fix 6W 480lm 927 Dim IP65	247140	247145	-	Yes	Ø68mm	Ø81mm
	Spot Air Fix 6W 480lm 930 Dim IP65	247149	246892	246897	Yes	Ø68mm	Ø81mm
	Spot Air Fix 6W 510lm 940 Dim IP65	247154	-	-	Yes	Ø68mm	Ø81mm
C	Spot Fire Rated 8W 640lm 927 Dim IP65	247086	247101	-	No	Ø68mm	Ø81mm
	Spot Fire Rated 8W 640lm 930 Dim IP65	247091	247105	-	No	Ø68mm	Ø81mm
	Spot Fire Rated 8W 680lm 940 Dim IP65	247096	-	-	No	Ø68mm	Ø81mm
D	Spot Combo Tilttable 3,6-5,5W Max 600lm 827-830-840 IP65	251011	-	-	Yes	Ø68mm	Ø82mm
	Spot Combo 3,6-5,5W Max 600lm 827-830-840 IP65	251008	-	-	Yes	Ø68mm	Ø82mm
E	Spot Dark Light 8W 640lm 927 Dim IP44	247110	247126	-	No	Ø68mm	Ø81mm
	Spot Dark Light 8W 640lm 930 Dim IP44	247135	247131	247117	No	Ø68mm	Ø81mm
	Spot Dark Light 8W 720lm 940 Dim IP44	247121	-	-	No	Ø68mm	Ø81mm
<b>Accessories</b>							
	Extension ring Ø68mm- Ø115mm	246915	246919	-	-		
	Extension ring Ø115mm- Ø160mm	246926	-	-	-		

## Philips Spot LED RS071B



L70	Warranty	IP	IK	°C	IRC	PF
50000h	3 years	20	03	-20°C- 40°C	80	-

Art. n°	Description
248805	6W 500lm 827/830/840 Dim Ø89mm Black recoverable
248807	6W 500lm 827/830/840 Dim Ø89mm White recoverable







# LED Track Lights

## Noxion LED Tracklight Spot Accento

L80	Warranty	IP	IK	°C	CRI	PF
50000h	6 years	20	02	-20°C- 40°C	90	0.95

Art. n°	Description
245313	35W 3100lm 930 36D White
245314	35W 3300lm 940 36D White
245315	35W 3100lm 930 36D Black
245316	35W 3300lm 940 36D Black
245317	35W 3100lm 930 36D Grey



White

**NOXION**  
best in class lighting



Black



Grey



## Noxion LED Tracklight Spot Stella

L80	Warranty	IP	IK	°C	CRI	PF
50000h	6 years	20	02	-20°C- 40°C	90	0.95

Art. n°	Description
244360	24W 1969lm 930 15D White
244359	24W 2024lm 930 36D White
245319	24W 2000lm 930 50D White
245307	35W 2900lm 930 36D White
245308	35W 3200lm 940 36D White
245309	35W 2900lm 930 36D Black
245310	35W 3200lm 940 36D Black
245311	35W 2900lm 930 36D Grey
245312	35W 3200lm 940 36D Grey



White

**NOXION**  
best in class lighting



Black



Grey



## Noxion LED Tracklight Spot Trixie

L80	Warranty	IP	IK	°C	CRI	PF
50000h	6 years	20	06	-20°C- 40°C	90	0.95

Art. n°	Description
244357	30W 1760lm / 1980lm / 2035lm CCT 36D White
250395	30W 1760lm / 1980lm / 2035lm CCT 36D Black
244358	30W 1760lm / 1980lm / 2035lm CCT 36D Grey



White

**NOXION**  
best in class lighting




Black



Grey








Model	Description	White	Black	Aluminium
A	3 phase railsystem - 1m	138011	138014	138012
A	3 phase railsystem - 2m	138013	138017	138015
A	3 phase railsystem - 3m	138016	138010	138018
B	3 phase end feed earth right	138064	138065	138234
B	3 phase end feed earth left	138066	138067	138235
C	3 phase straight connector electric	138032	138033	-
C	3 phase straight connector mechanic V/I	138249	138035	-
D	3 phase end cap V	138082	138083	138233
E	3 phase corner connector 90° V earth extern	138072	138073	-
E	3 phase corner connector 90° V earth intern	138070	138071	-
F	3 phase flexible corner connector V	138094	138081	-
G	3 phase middle feed V	138068	138069	150570
H	3 phase X-connector V	156083	138027	151159
I	3 phase T-connector V earth right	138078	138075	138074
I	3 phase T-connector V earth left	-	138077	-
J	3 phase Universal Adaptor Track System	138028	138222	-
K	Suspension kit 2m (plate 120cm)	-	207761	-

## Example of mounting



- 1. 90° Extern (E)
- 2. 90° Intern (E)
- 3. End / feed Right (B)
- 4. End / feed Left (B)
- 5. T- Right (I)
- 6. T- Left (I)
- 7. -X (H)



L End / feed

R End / feed

The image shows several white LED light tubes of varying lengths and orientations, resting on a light-colored wooden surface with a prominent grain. One tube at the top is partially inserted into a white plastic mounting bracket. The tubes have a ribbed texture on their outer casing. A blue rectangular banner with rounded corners is centered over the image, containing the text 'LED Tubes' in white, bold, sans-serif font.

# LED Tubes

## T5 TUBE

### Noxion Avant LED Tube T5 Extreme HE/HO

**NOXION**  
Best in class lighting



L70	Warranty	°C	CRI	PF	Ballast
50000h	6 years	-20°C- 40°C	80	0.9	Electronic / Mains (AC)

Description	Art. n°	Mains 230V	Art. n°	Electronic
<b>T5 HE</b>				
Equivalent 28W - 115cm 3000K		-	245197	16W 2160lm 830
Equivalent 28W - 115cm 4000K		-	245198	16W 2400lm 840
Equivalent 28W - 115cm 6500K		-	245199	16W 2400lm 865
Equivalent 35W - 145cm 3000K		-	249042	19W 2610lm 830
Equivalent 35W - 145cm 4000K		-	249043	19W 2900lm 840
Equivalent 35W - 145cm 6500K		-	249044	19W 2900lm 865
<b>T5 HO</b>				
Equivalent 54W - 115cm 3000K	247466	26W 3550lm 830		-
Equivalent 54W - 115cm 4000K	246504	26W 3900lm 840		-
Equivalent 54W - 115cm 6500K	246505	26W 3900lm 865		-
Equivalent 49W - 145cm 3000K	246506	26W 3550lm 830	245200	26W 3510lm 830
Equivalent 49W - 145cm 4000K	245207	26W 3900lm 840	245201	26W 3900lm 840
Equivalent 49W - 145cm 6500K	245208	26W 3900lm 865	245202	26W 3900lm 865

### Ledvance Value Short T5 HF

**LEDVANCE**



L70	Warranty	°C	CRI	PF	Ballast
30000h	5 years	-20°C- 45°C	80	0.9	Electronic

Art. n°	Description
248613	4-8W 380lm 830 29cm
248615	4-8W 400lm 840 29cm
248617	7-13W 770lm 830 53cm
248619	7-13W 850lm 840 53cm

## Ledvance Performance T5 HE/HO

 LEDVANCE



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C- 50°C	80	0.9	Electronic / Mains (AC)

Description	Art. n°	Mains 230V	Art. n°	Electronic
<b>T5 HE</b>				
Equivalent 14W- 55cm 3000K	248096	7W 900lm 830	-	-
Equivalent 14W- 55cm 4000K	248102	7W 1000lm 840	248313	7W 1000lm 840
Equivalent 14W- 55cm 6500K	248104	7W 1000lm 865	247984	7W 1000lm 865
Equivalent 21W- 85cm 3000K	248314	10W 1350lm 830	247969	10W 1350lm 830
Equivalent 21W- 85cm 4000K	248315	10W 1500lm 840	247973	10W 1500lm 840
Equivalent 21W- 85cm 6500K	248094	10W 1500lm 865	247979	10W 1500lm 865
Equivalent 28W- 115cm 3000K	248081	16W 2150lm 830	248311	17W 2150lm 830
Equivalent 28W- 115cm 4000K	248084	16W 2400lm 840	248312	17W 2400lm 840
Equivalent 28W- 115cm 6500K	248088	16W 2400lm 865	247963	16W 2400lm 865
Equivalent 35W- 145cm 3000K	248068	18W 2550lm 830	248309	18W 2550lm 830
Equivalent 35W- 145cm 4000K	248072	18W 2800lm 840	248310	18W 2800lm 840
Equivalent 35W- 145cm 6500K	248078	18W 2800lm 865	247959	18W 2800lm 865
<b>T5 HO</b>				
Equivalent 24W- 55cm 3000K	248054	10W 1350lm 830	-	-
Equivalent 24W- 55cm 4000K	248057	10W 1500lm 840	-	-
Equivalent 24W- 55cm 6500K	248063	10W 1500lm 865	-	-
Equivalent 39W- 85cm 3000K	248038	16W 2160lm 830	-	-
Equivalent 39W- 85cm 4000K	248045	16W 2400lm 840	-	-
Equivalent 39W- 85cm 6500K	248050	16W 2400lm 865	-	-
Equivalent 54W- 115cm 3000K	248005	26W 3600lm 830	247943	26W 3600lm 830
Equivalent 54W- 115cm 4000K	248011	26W 4000lm 840	248307	26W 4000lm 840
Equivalent 54W- 115cm 6500K	248017	26W 4000lm 865	248308	26W 4000lm 865
Equivalent 49W- 145cm 3000K	248022	26W 3600lm 830	247948	26W 3600lm 830
Equivalent 49W- 145cm 4000K	248026	26W 4000lm 840	247953	26W 4000lm 840
Equivalent 49W- 145cm 6500K	248033	26W 4000lm 865	247955	26W 4000lm 865
Equivalent 80W- 145cm 3000K	247991	37W 5050lm 830	248306	37W 5050lm 830
Equivalent 80W- 145cm 4000K	247997	37W 5600lm 840	248146	37W 5600lm 840
Equivalent 80W- 145cm 6500K	248001	37W 5600lm 865	248148	37W 5600lm 865

## Philips Master LEDtube T5 HE/HO/UO

PHILIPS



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C- 45°C	80	0.9	Electronic / Mains (AC)

Description	Art. n°	Mains 230V	Art. n°	Electronic
<b>T5 HE</b>				
Equivalent 14W- 55cm 3000K	251390	8W 1000lm 830	251378	8W 1000lm 830
Equivalent 14W- 55cm 4000K	251389	8W 1050lm 840	251377	8W 1050lm 840
Equivalent 14W- 55cm 6500K	251388	8W 1050lm 865	251376	8W 1050lm 865
Equivalent 21W- 85cm 3000K	248836	11,5W 1600lm 830	248529	11,5 1600lm 830
Equivalent 21W- 85cm 4000K	248837	11,5W 1700lm 840	248532	11,5W 1700lm 840
Equivalent 21W- 85cm 6500K	248838	11,5W 1700lm 865	248834	11,5W 1700lm 865
Equivalent 28W- 115cm 3000K	242554	16,5W 2300lm 830	230988	16,5W 2300lm 830
Equivalent 28W- 115cm 4000K	242462	16,5W 2500lm 840	230989	16,5W 2500lm 840
Equivalent 28W- 115cm 6500K	242463	16,5W 2500lm 865	230990	16,5W 2500lm 865
Equivalent 35W- 145cm 3000K	242464	20W 2800lm 830	230991	20W 2800lm 830
Equivalent 35W- 145cm 4000K	242465	20W 3000lm 840	230992	20W 3000lm 840
Equivalent 35W- 145cm 6500K	242466	20W 3000lm 865	230993	20W 3000lm 865
<b>T5 HO</b>				
Equivalent 24W- 55cm 3000K	248739	10,5W 1500lm 830	248520	10,5W 1500lm 830
Equivalent 24W- 55cm 4000K	248741	10,5W 1600lm 840	248523	10,5W 1600lm 840
Equivalent 24W- 55cm 6500K	248745	10,5W 1600lm 865	248526	10,5W 1600lm 865
Equivalent 39W- 85cm 3000K	248748	18,5W 2600lm 830	248535	18,5W 2600lm 830
Equivalent 39W- 85cm 4000K	248751	18,5W 2800lm 840	248538	18,5W 2800lm 840
Equivalent 39W- 85cm 6500K	248754	18,5W 2800lm 865	248835	18,5W 2800lm 865
Equivalent 54W- 115cm 3000K	233729	26W 3600lm 830	239431	26W 3700lm 830
Equivalent 54W- 115cm 4000K	233730	26W 3900lm 840	239432	26W 3900lm 840
Equivalent 54W- 115cm 6500K	233731	26W 3900lm 865	239433	26W 3900lm 865
Equivalent 49W- 145cm 3000K	233732	26W 3600lm 830	239434	26W 3700lm 830
Equivalent 49W- 145cm 4000K	233733	26W 3900lm 840	239435	26W 3900lm 840
Equivalent 49W- 145cm 6500K	233734	26W 3900lm 865	239436	26W 3900lm 865
<b>T5 UO</b>				
Equivalent 80W- 145cm 3000K	240985	36W 5200 830	246009	36W 5200 830
Equivalent 80W- 145cm 3000K	240986	36W 5600 840	246010	36W 5600 840
Equivalent 80W- 145cm 3000K	240987	36W 5600 865	246011	36W 5600 865

**T8 TUBE**
**Noxion Avant LED T8 Tube Standard, Extreme UO/HO**
**NOXION**  
Best in class lighting


L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C- 45°C	80	0.9	Conv. or Mains / Electronic

Description	Art. n°	Conv. / Mains - 230V	Art. n°	Electronic
<b>T8 Standard</b>				
Equivalent 18W - 60cm 3000K	249086	7,5W 900lm 830	-	
Equivalent 18W - 60cm 4000K	249087	7,5W 990lm 840	-	
Equivalent 18W - 60cm 6500K	249088	7,5W 990lm 865	-	
Equivalent 36W - 120cm 3000K	249089	15W 1815lm 830	-	
Equivalent 36W - 120cm 4000K	249090	15W 1980lm 840	-	
Equivalent 36W - 120cm 6500K	249091	15W 1980lm 865	-	
Equivalent 58W - 150cm 3000K	249092	19W 2420lm 830	-	
Equivalent 58W - 150cm 4000K	249093	19W 2640lm 840	-	
Equivalent 58W - 150cm 6500K	249094	19W 2640lm 865	-	
<b>T8 Extreme HO</b>				
Equivalent 18W - 60cm 2700K	249104	9W 1070lm 827	-	
Equivalent 18W - 60cm 3000K	241626	9W 1023lm 830	-	
Equivalent 18W - 60cm 4000K	249106	9W 1072lm 840	-	
Equivalent 18W - 60cm 6500K	249107	9W 1072lm 865	-	
Equivalent 30W - 90cm 3000K	249108	11,2W 1370lm 830	-	
Equivalent 30W - 90cm 4000K	249109	11,2W 1430lm 840	-	
Equivalent 30W - 90cm 6500K	249110	11,2W 1430lm 865	-	
Equivalent 36W - 120cm 2700K	249111	13W 1892lm 827	-	
Equivalent 36W - 120cm 3000K	249112	13W 1810lm 830	244316	14W 1950lm 830
Equivalent 36W - 120cm 4000K	249113	13W 2100lm 840	244317	14W 2100lm 840
Equivalent 36W - 120cm 6500K	249114	13W 2100lm 865	244318	14W 2100lm 865
Equivalent 58W - 150cm 2700K	249115	16,5W 2634lm 827	-	
Equivalent 58W - 150cm 3000K	249116	16,5W 2520lm 830	244319	20W 2800lm 830
Equivalent 58W - 150cm 4000K	249117	16,5W 2650lm 840	244320	20W 3100lm 840
Equivalent 58W - 150cm 6500K	249118	16,5W 2660lm 865	244321	20W 3100lm 865
<b>T8 Extreme UO</b>				
Equivalent 18W - 60cm 3000K	249095	8,4W 1350lm 830	-	
Equivalent 18W - 60cm 4000K	249096	8,4W 1350lm 840	-	
Equivalent 18W - 60cm 6500K	249097	8,4W 1350lm 865	-	
Equivalent 36W - 120cm 3000K	249098	15,9W 2600lm 830	-	
Equivalent 36W - 120cm 4000K	249099	15,9W 2550lm 840	-	
Equivalent 36W - 120cm 6500K	249100	15,9W 2600lm 865	-	
Equivalent 58W - 150cm 3000K	249101	20,6W 3300lm 830	-	
Equivalent 58W - 150cm 4000K	249102	20,6W 3300lm 840	-	
Equivalent 58W - 150cm 6500K	249103	20,6W 3300lm 865	-	

## Philips Master LEDtube T8

PHILIPS



L70	Warranty	°C	CRI	PF	Ballast
70000h	5 years	-20°C- 45°C	80	0.9	Conv. or Mains / Electronic

Description	Art. n°	Conv. / Mains - 230V	Art. n°	Electronic
<b>T8 HO</b>				
Equivalent 18W- 60cm 3000K	229293	8W 1000lm 830	246091	8W 1000lm 830
Equivalent 18W- 60cm 4000K	229294	8W 1050lm 840	246092	8W 1050lm 840
Equivalent 18W- 60cm 6500K	229295	8W 1050lm 865	246093	8W 1050lm 865
Equivalent 30W- 90cm 4000K	229296	12W 1575lm 840		-
Equivalent 30W- 90cm 6500K	229297	12W 1575lm 865		-
Equivalent 36W- 120cm 3000K	234547	12,5W 2000lm 830	246079	14W 2000lm 830
Equivalent 36W- 120cm 4000K	234548	12,5W 2100lm 840	246080	14W 2100lm 840
Equivalent 36W- 120cm 6500K	234549	12,5W 2100lm 865	246081	14W 2100lm 865
Equivalent 58W- 150cm 3000K	234550	18,2W 2900lm 830	246085	20W 2900lm 830
Equivalent 58W- 150cm 4000K	234551	18,2W 3100lm 840	246086	20W 3100lm 840
Equivalent 58W- 150cm 6500K	234552	18,2W 3100lm 865	246087	20W 3100lm 865
<b>T8 UO</b>				
Equivalent 38W- 105cm 3000K	248757	16W 2300lm 830		-
Equivalent 38W- 105cm 4000K	248760	16W 2500lm 840		-
Equivalent 36W- 120cm 3000K	241116	14,7W 2300lm 830	246082	16W 2350lm 830
Equivalent 36W- 120cm 4000K	241117	14,7W 2500lm 840	246083	16W 2500lm 840
Equivalent 36W- 120cm 6500K	241118	14,7W 2500lm 865	246084	16W 2500lm 865
Equivalent 58W- 150cm 3000K	241119	21,7W 3400lm 830	246088	24W 3500lm 830
Equivalent 58W- 150cm 4000K	241120	21,7W 3700lm 840	246089	24W 3700lm 840
Equivalent 58W- 150cm 6500K	241121	21,7W 3700lm 865	246090	24W 3700lm 865

## Philips Master LEDtube Value T8

PHILIPS



L70	Warranty	°C	CRI	PF	Ballast
60000h	5 years	-20°C- 45°C	80	0.9	Conventional / Mains (AC)

Art. n°	Description
241122	15,5-36W 2300lm 830 120cm
241123	15,5-36W 2500lm 840 120cm
241124	15,5-36W 2500lm 865 120cm
241125	23-58W 3400lm 830 150cm
241126	23-58W 3700lm 840 150cm
241127	23-58W 3700lm 865 150cm



## Philips Corepro LEDtube T8

PHILIPS



L70	Warranty	°C	CRI	PF	Ballast
30000h	3 years	-20°C- 45°C	80	0.9	Conv. or Mains / Electronic

Description	Art. n°	Conv. / Mains - 230V	Art. n°	Electronic
<b>T8 Standard Output</b>				
Equivalent 18W - 60cm 3000K	246814	8W 750lm 830	-	-
Equivalent 18W - 60cm 4000K	246804	8W 800lm 840	-	-
Equivalent 18W - 60cm 6500K	246806	8W 800lm 865	-	-
Equivalent 36W - 120cm 3000K	246827	15,5W 1700lm 830	-	-
Equivalent 36W - 120cm 4000K	246816	15,5W 1800lm 840	-	-
Equivalent 36W - 120cm 6500K	246818	15,5W 1800lm 865	-	-
Equivalent 58W - 150cm 3000K	246820	20W 2050lm 830	-	-
Equivalent 58W - 150cm 4000K	246822	20W 2200lm 840	-	-
Equivalent 58W - 150cm 6500K	246812	20W 2200lm 865	-	-
<b>T8 HO</b>				
Equivalent 18W - 60cm 3000K	246825	8W 850lm 830	-	-
Equivalent 18W - 60cm 4000K	246077	8W 900lm 840	-	-
Equivalent 18W - 60cm 6500K	246078	8W 900lm 865	-	-
Equivalent 36W - 120cm 3000K	-	-	248541	18W 1850lm 830
Equivalent 36W - 120cm 4000K	246829	18W 2000lm 840	-	-
Equivalent 36W - 120cm 6500K	246831	18W 2000lm 865	-	-
Equivalent 58W - 150cm 3000K	-	-	248544	24W 2500lm 830
Equivalent 58W - 150cm 4000K	246833	24W 2700lm 840	-	-
Equivalent 58W - 150cm 6500K	246823	24W 2700lm 865	-	-
<b>T8 UO</b>				
Equivalent 36W - 120cm 3000K	251366	17,7W 2250lm 830	-	-
Equivalent 36W - 120cm 4000K	251397	17,7W 2400lm 840	-	-
Equivalent 36W - 120cm 6500K	251396	17,7W 2400lm 865	-	-
Equivalent 58W - 150cm 3000K	251395	25,9W 3320lm 830	-	-
Equivalent 58W - 150cm 4000K	251394	25,9W 3500lm 840	-	-
Equivalent 58W - 150cm 6500K	251393	25,9W 3500lm 865	-	-

## Ledvance LED Tube Performance T8

 LEDVANCE



L70	Warranty	°C	CRI	PF	Ballast
60000h	5 years	-20°C- 45°C	80	0.9	Conv. or Mains / Electronic

Description	Art. n°	Conv. / Mains - 230V	Art. n°	Electronic
<b>T8 Performance HO</b>				
Equivalent 18W - 60cm 3000K	248537	7W 990lm 830	248019	7,5W 1000lm 830
Equivalent 18W - 60cm 4000K	248133	7W 1100lm 840	248140	7,5W 1100lm 840
Equivalent 18W - 60cm 6500K	248137	7W 1100lm 865	248024	7,5W 1100lm 865
Equivalent 36W - 120cm 3000K	248539	13,5W 1890lm 830	248143	14W 1900lm 830
Equivalent 36W - 120cm 4000K	248139	13,5W 2100lm 840	248144	14W 2100lm 840
Equivalent 36W - 120cm 6500K	248142	13,5W 2100lm 865	248029	14W 2100lm 865
Equivalent 58W - 150cm 3000K	248543	20W 2790lm 830	248034	20W 2800lm 830
Equivalent 58W - 150cm 4000K	248145	20W 3100lm 840	248039	20W 3100lm 840
Equivalent 58W - 150cm 6500K	248147	20W 3100lm 865	248044	20W 3100lm 865
<b>T8 Performance UO</b>				
Equivalent 36W - 120cm 3000K	247988	15,6W 2250lm 830	-	-
Equivalent 36W - 120cm 4000K	247993	15,6W 2500lm 840	248060	15W 2400lm 840
Equivalent 36W - 120cm 6500K	247998	15,6W 2500lm 865	248065	15W 2400lm 865
Equivalent 58W - 150cm 3000K	248004	23,1W 3330lm 830	-	-
Equivalent 58W - 150cm 4000K	248009	23,1W 3700lm 840	248070	23W 3700lm 840
Equivalent 58W - 150cm 6500K	248013	23,1W 3700lm 865	247687	23W 3700lm 865
<b>T8 Food</b>				
Equivalent 18W - 60cm 3300K	248593	5,2W 500lm 833	-	-
Equivalent 30W - 90cm 3300K	248120	7,9W 750lm 833	-	-
Equivalent 36W - 120cm 3300K	248123	11,6W 1100lm 833	-	-
Equivalent 58W - 150cm 3300K	248127	17,9W 1700lm 833	-	-
<b>T8 Sensor</b>				
Equivalent 18W - 60cm 4000K	248112	6,8W 1100lm 840	-	-
Equivalent 36W - 120cm 4000K	248116	13,1W 2100lm 840	-	-
Equivalent 58W - 150cm 4000K	248316	19,3W 3100lm 840	-	-



## Ledvance LED Tube Value T8



L70	Warranty	°C	CRI	PF	Ballast
30000h	5 years	-20°C- 45°C	80	0.9	Conventional / Mains (AC)

Art. n°	Description
<b>T8 Standard Output</b>	
248564	5,4-15W 585lm 830 45cm
248566	5,4-15W 650lm 840 45cm
248567	5,4-15W 650lm 865 45cm
248149	6,6-18W 720lm 830 60cm
247608	6,6-18W 800lm 840 60cm
247942	6,6-18W 800lm 865 60cm
248570	7-20W 765lm 830 72cm
248574	7-20W 850lm 840 72cm
248577	7-20W 850lm 865 72cm
248580	10-30W 1080lm 830 90cm
248582	10-30W 1200lm 840 90cm
248585	10-30W 1200lm 865 90cm
248587	11,6-38W 1260lm 830 105cm
248589	11,6-38W 1400lm 840 105cm
248591	11,6-38W 1400lm 865 105cm
247946	15-36W 1620lm 830 120cm
247949	15-36W 1800lm 840 120cm
247952	15-36W 1800lm 865 120cm
247956	18,3-58W 2000lm 830 150cm
247958	18,3-58W 2200lm 840 150cm
247964	18,3-58W 2200lm 865 150cm
<b>T8 UO</b>	
248546	20-36W 2160lm 830 120cm
248549	20-36W 2400lm 840 120cm
248552	20-36W 2400lm 865 120cm
248555	29-58W 3150lm 830 150cm
248558	29-58W 3500lm 840 150cm
248561	29-58W 3500lm 865 150cm

## Ledvance LED Tube Superior



L70	Warranty	°C	CRI	PF	Ballast
75000h	5 years	-20°C- 45°C	80/90	0.9	Conventional / Mains (AC)

Art. n°	Description
<b>T8 Superior Standard</b>	
248305	5,1-15W 810lm 830 44cm
248118	5,1-15W 900lm 840 44cm
248583	5,1-15W 900lm 865 44cm
248521	6,3-18W 995lm 830 60cm
248093	6,3-18W 1100lm 840 60cm
248098	6,3-18W 1100lm 865 60cm
248525	9,7-30W 1530lm 830 90cm
248121	9,7-30W 1700lm 840 90cm
248100	9,7-30W 1700lm 865 90cm
248528	11,4-38W 1800lm 830 105cm
247597	11,4-38W 2000lm 840 105cm
248106	11,4-38W 2000lm 865 105cm
248530	12-36W 1890lm 830 120cm
248110	12-36W 2100lm 840 120cm
248125	12-36W 2100lm 865 120cm
248534	17,7-58W 2790lm 830 150cm
248113	17,7-58W 3100lm 840 150cm
248129	17,7-58W 3100lm 865 150cm
<b>T8 Superior UO</b>	
247978	14-36W 2340lm 830 120cm
247968	14-36W 2600lm 840 120cm
247596	14-36W 2600lm 865 120cm
247972	14-36W 2600lm 940 120cm
247983	22,1-58 3690lm 830 150cm
248122	22,1-58W 4100lm 840 150cm
248304	22,1-58W 4100lm 865 150cm
248117	22,1-58W 4100lm 940 150cm
<b>T8 Superior UO High Temperature</b>	
250260	14-36W 2600lm 840 120cm
250263	22,1-58W 4100lm 840 150cm
<b>T8 Superior UO High Ceiling</b>	
250265	14-36W 2600lm 840 120cm
250266	22,1-58W 4100lm 840 150cm

## T8 TUBE UN UNIVERSAL

### Philips Master LEDtube Value UO T8

L70	Warranty	°C	CRI	PF	Ballast
60000h	5 years	-20°C- 45°C	80	0.9	Universal

Art. n°	Description
242456	16-36W 2300lm 830 120cm
242457	16-36W 2500lm 840 120cm
242458	16-36W 2500lm 865 120cm
242459	23-58W 3400lm 830 150cm
242460	24-58W 3700lm 840 150cm
242461	24-58W 3700lm 865 150cm



PHILIPS

### Philips CorePro LEDtube UN T8 Universal

L70	Warranty	°C	CRI	PF	Ballast
30000h	2 years	-20°C- 45°C	80	0.9	Universal

Art. n°	Description
<b>HO</b>	
239419	8-18W 850lm 830 60cm
239420	8-18W 900lm 840 60cm
239421	8-18W 900lm 865 60cm
233719	18-36W 1850lm 830 120cm
233720	18-36W 2000lm 840 120cm
233721	18-36W 2000lm 865 120cm
233722	23-58W 2500lm 830 150cm
233723	23-58W 2700lm 840 150cm
233724	23-58W 2700lm 865 150cm
<b>UO</b>	
248763	15,5-36W 2200lm 830 120cm
248765	15,5-36W 2400lm 840 120cm
248769	15,5-36W 2400lm 865 120cm
248772	23-58W 3200lm 830 150cm
248775	23-58W 3500lm 840 150cm
248778	23-58W 3500lm 865 150cm



PHILIPS



# LED Bulbs

For public lighting / road Philips E27

Voltage	Art. n°	Wattage	Color	Lumen	Name
E27	248816	13W	827	1800lm	TrueForce Core HPL
	238561	13W	830	2000lm	TrueForce Core HPL SON
	238562	13W	840	2000lm	TrueForce Core HPL SON
	248826	17W	727	2700lm	TrueForce Road SON-T EU
	243301	17W	730	2800lm	TrueForce Road Stand.
	243302	17W	740	3000lm	TrueForce Road Stand.
	248818	18W	827	2600lm	TrueForce Core HPL
	238563	18W	830	3000lm	TrueForce Core HPL SON
	246836	19W	830	2800lm	TrueForce Road HPL
	238564	18W	840	3000lm	TrueForce Core HPL SON
	248804	19W	727	3600lm	TrueForce Road SON-T EU
	248806	19W	740	4000lm	TrueForce Road SON-T EU
	246840	19W	840	3100lm	TrueForce Road HPL
	235664	21W	830	2850lm	TrueForce HPL ND
	235665	21W	840	3000lm	TrueForce HPL ND
	246838	24W	830	3800lm	TrueForce Road HPL
	246830	24W	840	4000lm	TrueForce Road HPL
	248827	26W	727	4000lm	TrueForce Road SON-T EU
	248820	26W	827	3600lm	TrueForce Core HPL
	243303	26W	730	4200lm	TrueForce Road Stand.
	238565	26W	830	4000lm	TrueForce Core HPL SON
	243304	26W	740	4500lm	TrueForce Road Stand.
	238566	26W	840	4000lm	TrueForce Core HPL SON
235666	28W	830	3800lm	TrueForce HPL ND	
235667	28W	840	4000lm	TrueForce HPL ND	
248808	28,5W	727	5400lm	TrueForce Road SON-T EU	
248810	28,5W	740	6000lm	TrueForce Road SON-T EU	
246832	33,5W	830	5600lm	TrueForce Road HPL	
246815	33,5W	840	6000lm	TrueForce Road HPL	
248822	36W	827	5300lm	TrueForce Core HPL	
240977	36W	830	5500lm	TrueForce Core HPL SON	
240978	36W	840	6000lm	TrueForce Core HPL SON	
235668	42W	830	5700lm	TrueForce HPL ND	
50-60V	246855	23W	727	3600lm	TrueForce Road SON-T M
	246857	23W	740	4000lm	TrueForce Road SON-T M
70-80V	246848	34W	727	5400lm	TrueForce Road SON-T M
	246850	34W	740	6000lm	TrueForce Road SON-T M
120-240V	246852	23W	727	3600lm	TrueForce Road SON-T M
	246842	23W	740	4000lm	TrueForce Road SON-T M
	246844	34W	727	5400lm	TrueForce Road SON-T M
	246846	34W	740	6000lm	TrueForce Road SON-T M



PHILIPS



Road Stand.



PHILIPS



HPL/SON



PHILIPS



Road HPL



PHILIPS



Road SON-T EU



PHILIPS



HPL ND



PHILIPS



Road SON-T M



## For public lighting / road Ledvance E27

Voltage	Art. n°	Wattage	Color	Lumen	Name
E27	247139	13W	827	1800lm	HQL LED FIL V
	247144	13W	840	2000lm	HQL LED FIL V
	247163	14,5W	827	1800lm	HQL LED P
	247164	14,5W	840	2000lm	HQL LED P
	251031	15W	718	1600lm	NAV LED FIL V
	247147	20W	827	2700lm	HQL LED FIL V
	247151	20W	840	3000lm	HQL LED FIL V
	247159	21W	727	3600lm	NAV LED FIL V
	247160	21W	740	4000lm	NAV LED FIL V
	247165	21,5W	827	2700lm	HQL LED P
	247166	21,5W	840	3000lm	HQL LED P
	251028	23W	718	2500lm	NAV LED FIL V
	247152	24W	827	3600lm	HQL LED FIL V
	247156	24W	840	4000lm	HQL LED FIL V
	247167	29W	827	3600lm	HQL LED P
	247168	29W	840	4000lm	HQL LED P
	247161	35W	727	5400lm	NAV LED FIL V
	247162	35W	740	6000lm	NAV LED FIL V
	247157	38W	827	5400lm	HQL LED FIL V
	247158	38W	840	6000lm	HQL LED FIL V
247169	41W	827	5400lm	HQL LED P	
247170	41W	840	6000lm	HQL LED P	
Mains 230V					

 LEDVANCE



NAV



 LEDVANCE



HQL



 LEDVANCE



HQL P



## For public lighting / road Philips B22

Voltage	Art. n°	Wattage	Color	Lumen	Name	
B22	243312	18W	840	2500lm	TrueForce SOX	
	100-277V	243313	28W	840	4000lm	TrueForce SOX
	243314	36W	840	5000lm	TrueForce SOX	

**PHILIPS**



SOX



## For public lighting / road Philips E40

Voltage	Art. n°	Wattage	Color	Lumen	Name
E40	248824	36W	827	5300lm	TrueForce Core HPL
	240979	36W	830	5500lm	TrueForce Core HPL SON
	240980	36W	840	6000lm	TrueForce Core HPL SON
	248828	40W	727	6500lm	TrueForce Road
	243305	40W	730	7200lm	TrueForce Road
	243306	40W	740	7500lm	TrueForce Road
	248812	42,8W	727	8000lm	TrueForce Road
	248814	42,8W	740	9000lm	TrueForce Road
	235669	42W	830	5700lm	TrueForce HPL ND
	235671	42W	840	6000lm	TrueForce HPL ND
	250501	45W	727	8800lm	TrueForce Road
	250503	45W	730	8800lm	TrueForce Road
	250505	45W	740	10000lm	TrueForce Road
	246821	50W	727	8100lm	TrueForce Road SON-T
246811	50W	740	9000lm	TrueForce Road SON-T	
80-90V	246834	65W	727	10800lm	TrueForce Road SON-T
	246824	65W	740	12000lm	TrueForce Road SON-T
85-95V	246828	50W	740	9000lm	TrueForce Road SON-T
120-240V	246817	65W	727	10800lm	TrueForce Road SON-T
	246819	65W	740	12000lm	TrueForce Road SON-T

**PHILIPS**



HPL



**PHILIPS**



Road



**PHILIPS**



HPL SON



**PHILIPS**



HPL ND



**PHILIPS**



Road SON-T



## For public lighting / road Ledvance E40

Voltage	Art. n°	Wattage	Color	Lumen	Name
E40	251033	30W	718	3200lm	NAV
	247171	38W	827	5400lm	HQL LED FIL V
	247172	38W	840	6000lm	HQL LED FIL V
	247175	41W	727	7000lm	NAV
	247177	41W	827	5400lm	HQL LED P
	247176	41W	740	7500lm	NAV
	247178	41W	840	6000lm	HQL LED P
	247173	60W	827	8100lm	HQL LED FIL V
	247174	60W	840	9000lm	HQL LED FIL V
	247179	90W	827	11700lm	HQL LED P
	247180	90W	840	13000lm	HQL LED P

**LEDVANCE**



HQL



**LEDVANCE**



NAV



**LEDVANCE**



HQL P



## For highbay fixture Philips

Art. n°	Description
<b>TrueForce Core HB (Mains 230V)</b>	
239413	20W 2600lm 830 E27 150°
239414	20W 2700lm 840 E27 150°
239415	30W 3700lm 830 E27 180°
239416	30W 4000lm 840 E27 180°
239417	35W 4800lm 830 E27 180°
239418	35W 5000lm 840 E27 180°
<b>TrueForce HPI UN (Mains 230V)</b>	
240983	95W 13000lm 840 E40 60°
241110	95W 13000lm 840 E40 120°
241113	140W 20000lm 840 E40 60°
240982	140W 20000lm 840 E40 120°
<b>CorePro HPI MV (110-240V)</b>	
246730	65W 9000lm 840 E40 100°
246734	105W 15000lm 840 E40 100°



**PHILIPS**



HB

**PHILIPS**



HPI UN

**PHILIPS**



HPI MV

## For Highbay Osram / Ledvance

Art. n°	Description
<b>HQI (110V)</b>	
242629	95-250W 13000lm 840 E40 120°
<b>HB (Mains 230V)</b>	
245894	105W 14000lm 822 E40 300°
245895	150W 21000lm 818 E40 300°
245896	160W 25000lm 822 E40 300°



**OSRAM**



HQL/HQI

**LEDVANCE**



HB

**GX53**

## Osram Star GX53

Art. n°	Description
244094	4,9-40W 470lm 827 GX53
244095	4,9-40W 470lm 840 GX53



**OSRAM**



## Noxion Lucent LED PL-C



Time	Warranty	CRI	PF	Base
30000h	2 years	80	0.9	G24-d

Art. n°	Description
<b>2Pins</b>	
248453	4,5-10W 473lm 830 G24d-1
248454	3,6-10W 491lm 840 G24d-1
248469	5,2-18W 650lm 830 G24d-2
248470	5,2-18W 700lm 840 G24d-2
248471	7,4-26W 950lm 830 G24d-3
248472	9,5-26W 1000lm 840 G24d-3



## Philips CorePro LED PL-C



Time	Warranty	CRI	PF	Base
50000h	2 years	80	0.9	G24-d

Art. n°	Description
<b>2Pins</b>	
250462	5,9-13W 600lm 830 G24d-1 EM
250463	5,9-13W 660lm 840 G24d-1 EM
250464	6,9-18W 700lm 830 G24d-1 EM
250465	6,9-18W 770lm 840 G24d-1 EM
250466	8,9-26W 990lm 830 G24d-1 EM
250467	8,9-26W 1100lm 840 G24d-1 EM
<b>4Pins (HF + AC)</b>	
251372	5,5-13W 600lm 830 G24q-1 HF
251371	5,5-13W 660lm 840 G24q-1 HF
251370	6,5-18W 700lm 830 G24q-2 HF
251369	6,5-18W 770lm 840 G24q-2 HF
251368	9,5-26W 990lm 830 G24q-3 HF
251367	9,5-26W 1100lm 840 G24q-3 HF



## Noxion Lucent LED PL-S

**NOXION**  
Best in class lighting

Time	Warranty	CRI	PF	Base
30000h	2 years	80	0.9	G23/2G7



Art. n°	Description
<b>2P</b>	
248455	2,8-5W 368lm 827 G23 2P
248456	3,5-5W 368lm 830 G23 2P
248457	3,5-5W 403lm 840 G23 2P
248458	4,5-9W 540lm 827 G23 2P
248459	4,5-9W 540lm 830 G23 2P
248460	4,3-9W 600lm 840 G23 2P
248464	6-11W 765lm 827 G23 2P
248465	6-11W 765lm 830 G23 2P
<b>4P</b>	
248461	4,5-9W 540lm 827 2G7 4P
248462	4,3-9W 540lm 830 2G7 4P
248463	4,3-9W 600lm 840 2G7 4P
248466	6-11W 765lm 827 2G7 4P
248467	6-11W 765lm 830 2G7 4P
248468	6-11W 850lm 840 2G7 4P

## Ledvance PL-S

**LEDVANCE**

Time	Warranty	CRI	PF	Base
30000h	3 years	80	0.7	G23



Art. n°	Description
249294	3,5-7W 360lm 830 G23 2P
249295	3,5-7W 400lm 840 G23 2P
247793	4-9W 450lm 830 G23 2P
247798	4-9W 500lm 840 G23 2P
247803	6-11W 630lm 830 G23 2P
247609	6-11W 700lm 840 G23 2P

## Noxion Lucent LED PL-L HF

**NOXION**  
Best in class lighting



Time	Warranty	CRI	PF	Base
30000h	2 years	80	-	2G11

Art. n°	Description
248441	11,9-24W 830 2G11 4P
248442	11,9-24W 840 2G11 4P
248443	7,9-16W 830 2G11 4P
248444	7,9-16W 840 2G11 4P

## Philips CorePro LED PL-L

**PHILIPS**



Time	Warranty	CRI	PF	Base
30000h	2 years	80	-	2G11

Description	HF	EM/Mains
8-18W 960lm 830 2G11 4P	246888	246800
8-18W 1000lm 840 2G11 4P	246891	246801
12-24W 1440lm 830 2G11 4P	-	246807
12-24W 1500lm 840 2G11 4P	246803	246809
16,5-36W 2000lm 830 2G11 4P	230976	246798
16,5-36W 2100lm 840 2G11 4P	230977	246799
16,5-36W 2100lm 865 2G11 4P	230978	-
24-55W 3200lm 830 2G11 4P	234555	246883
24-55W 3400lm 840 2G11 4P	234556	246885
24-55W 3400lm 865 2G11 4P	234557	-

## Philips CorePro LED PL-L Urban

**PHILIPS**



Time	Warranty	CRI	PF	Base
30000h	3 years	80	-	2G11

Art. n°	Description
250448	13-24W 1600lm 830 2G11 4P
250445	13-24W 1600lm 840 2G11 4P
250446	18-36W 2100lm 830 2G11 4P
250447	18-36W 2100lm 830 2G11 4P

## Noxion Lucent LED Spot PAR16 GU10

Art. n°	Description
242299	2,4-35W 230lm 827 36D
242300	2,4-35W 230lm 830 36D
244565	3-35W 270lm 840 36D
242301	3,6-50W 350lm 830 36D
242302	3,6-50W 350lm 840 36D
242053	4,8-65W 450lm 827 36D
242298	4,8-65W 520lm 840 36D
250692	5,5-78W 560lm 827 36D
241958	5,5-75W 560lm 830 36D
250694	5,5-78W 560lm 830 60D
250695	5,5-78W 560lm 840 60D
250697	5,5-50W 620lm 830 120D
250698	5,5-50W 620lm 840 120D
<b>Dimmable (warranty 2 years - 15000h)</b>	
241957	3-35W 230lm 827 36D Dim
243403	3-35W 230lm 830 36D Dim
242052	4-50W 345lm 827 36D Dim
241648	4-50W 345lm 830 36D Dim
244564	4-50W 345lm 840 36D Dim



NOXION  
Best in class lighting



## Noxion PerfectColor LED GU10

Art. n°	Description
241672	4-35W 310lm 927 36D Dim
242051	4-35W 310lm 927 60D Dim
241955	5,5-50W 345lm 927 36D Dim
241645	5,5-50W 345lm 927 60D Dim
242050	5,5-50W 345lm 930 36D Dim
241646	5,5-50W 345lm 930 60D Dim
243440	5,5-50W 345lm 940 36D Dim
241647	5,5-50W 345lm 940 60D Dim
250683	6,7-80W 575lm 927 36D Dim
250686	6,7-80W 575lm 927 60D Dim
250689	6,7-50W 575lm 927 120D Dim
250684	6,7-80W 575lm 930 36D Dim
250687	6,7-80W 575lm 930 60D Dim
250690	6,7-50W 650lm 930 120D Dim
250685	6,7-80W 575lm 940 36D Dim
250691	6,7-50W 650lm 940 120D Dim



NOXION  
Best in class lighting





## Philips CorePro LEDspot MV GU10 230V

Art. n°	Description
231001	3,1-25W 215lm 827 36D
230953	3,1-25W 225lm 830 36D
230954	3,1-25W 230lm 840 36D
231003	3,5-35W 255lm 827 36D
230955	3,5-35W 265lm 830 36D
230956	3,5-35W 275lm 840 36D
231002	4,6-50W 355lm 827 36D
230957	4,6-50W 370lm 830 36D
230958	4,6-50W 390lm 840 36D
242406	6,5-65W 460lm 830 36D
242405	6,5-65W 485lm 840 36D
241889	6,7-90W 670lm 830 60D
<b>Dimmable</b>	
230948	4-35W 250lm 827 36D Dim
230949	4-35W 260lm 830 36D Dim
230959	4-35W 270lm 840 36D Dim
230950	5-50W 350lm 827 36D Dim
242380	5-50W 365lm 830 36D Dim
242381	5-50W 380lm 840 36D Dim



PHILIPS

## Philips MASTER Value LEDspot PAR16 GU10

Art. n°	Description
242363	3,7-35W 270lm 922-927 36D Dim
242359	3,7-35W 270lm 927 36D Dim
242360	3,7-35W 270lm 927 60D Dim
230364	3,7-35W 270lm 930 36D Dim
242361	3,7-35W 270lm 930 60D Dim
230366	3,7-35W 285lm 940 36D Dim
230367	3,7-35W 285lm 940 60D Dim
230375	4,9-50W 355lm 922-927 36D Dim
242362	4,9-50W 355lm 927 36D Dim
230369	4,9-50W 355lm 927 60D Dim
230370	4,9-50W 365lm 930 36D Dim
230371	4,9-50W 365lm 930 60D Dim
230372	4,9-50W 380lm 940 36D Dim
230373	4,9-50W 380lm 940 60D Dim
248829	6,2-80W 575lm 927 36D Dim
237176	6,2-80W 575lm 930 36D Dim
237513	6,2-80W 575lm 940 36D Dim



PHILIPS

## Philips MASTER LEDspot ExpertColor PAR16 GU10

Art. n°	Description
230350	3,9-35W 265lm 927 25D Dim
230351	3,9-35W 265lm 927 36D Dim
230352	3,9-35W 280lm 930 25D Dim
230353	3,9-35W 280lm 930 36D Dim
230354	3,9-35W 300lm 940 25D Dim
230355	3,9-35W 300lm 940 36D Dim
230356	5,5-50W 355lm 927 25D Dim
230357	5,5-50W 355lm 927 36D Dim
230358	5,5-50W 375lm 930 25D Dim
230359	5,5-50W 375lm 930 36D Dim
230360	5,5-50W 400lm 940 25D Dim
230361	5,5-50W 400lm 940 36D Dim



## Ledvance Performance PAR16 GU10

Art. n°	Description
247890	2,6-35W 230lm 827 36D
247893	2,6-35W 230lm 830 36D
247898	2,6-35W 230lm 840 36D
247903	4,3-50W 350lm 827 36D
247918	4,3-50W 350lm 827 120D
247908	4,3-50W 350lm 830 36D
247923	4,3-50W 350lm 830 120D
247913	4,3-50W 350lm 840 36D
247928	4,3-32W 350lm 840 120D
247933	6,9-80W 575lm 827 36D
247938	6,9-80W 575lm 827 60D
247945	6,9-80W 620lm 827 120D
248124	6,9-80W 575lm 830 36D
247940	6,9-80W 575lm 830 60D
247950	6,9-80W 620lm 830 120D
247936	6,9-80W 575lm 840 36D
248152	6,9-80W 575lm 840 60D
247941	6,9-80W 620lm 840 120D



## Ledvance Performance Dim PAR16 GU10

Art. n°	Description
247779	3,4-35W 230lm 927 36D Dim
247785	3,4-35W 230lm 930 36D Dim
247788	3,4-35W 230lm 940 36D Dim
247795	4,5-50W 350lm 927 36D Dim
247800	4,5-50W 350lm 930 36D Dim
247808	4,5-50W 350lm 940 36D Dim
250789	7-80W 575lm 927 36D Dim
251044	7-80W 575lm 927 60D Dim
251524	7-80W 650lm 927 120D Dim
251042	7-80W 575lm 930 60D Dim
250790	7-80W 650lm 930 120D Dim
251046	7-80W 750lm 840 36D Dim
251040	7-80W 575lm 940 36D Dim
251038	7-80W 575lm 940 60D Dim
251591	7-80W 650lm 940 120D Dim
251036	8-80W 750lm 827 36D Dim



## LED GU10

Art. n°	Description
245185	GU10- 4-50W 345lm 827 36D



## GU4

## Noxion PerfectColor LED GU4

Art. n°	Description
250437	2,8-20W 184lm 927 36D
250435	2,8-20W 184lm 927 36D Dim
250438	4,5-35W 345lm 927 36D
250436	4,5-35W 345lm 927 36D Dim
	<b>Standard (warranty 3 years - 25000h)</b>
250680	1,8-20W 184lm 827 36D



**NOXION**  
From the smart lighting

## Ledvance Performance MR11 GU4

Art. n°	Description
247965	2,5-20W 184lm 840 36D
247961	3,2-20W 184lm 927 36D Dim
247971	4,2-35W 345lm 827 36D
247981	4,2-35W 360lm 840 36D
247957	4,5-35W 345lm 927 36D Dim



LEDVANCE

## GU5.3

## Noxion Lucent Spot MR16 GU5.3

Art. n°	Description
242055	2,5-20W 270lm 827 36D
242056	4-35W 400lm 827 36D
244207	3,4-35W 410lm 840 36D
244367	7,8-50W 621lm 827 36D
244206	6,1-50W 621lm 830 36D
244205	6,1-50W 621lm 840 36D
<b>Dimmable</b>	
245659	4,4-35W 345lm 827 36D Dim
242304	4,4-35W 345lm 827 60D Dim
245658	4,4-35W 345lm 830 36D Dim
242305	4,4-35W 345lm 830 60D Dim
242303	4,4-35W 345lm 840 36D Dim
244369	7,5-50W 621lm 827 36D Dim
244368	7,5-50W 621lm 827 60D Dim
242306	7,5-50W 621lm 830 36D Dim
242307	7,5-50W 621lm 830 60D Dim
242308	7,5-50W 621lm 840 60D Dim



NOXION  
More & Better Lighting

## Osram Transformer Halogen/LED

Art. n°	Description
130076	Osram HTM- 70VA
130045	Osram HTM- 105VA
130046	Osram HTM- 150VA
202245	Osram ET-Parrot- 70VA



OSRAM

## Philips Master Value LEDspot GU5.3

Art. n°	Description
241877	5,8-35W 450lm 927 36D Dim
241878	5,8-35W 460lm 930 36D Dim
241879	5,8-35W 490lm 940 36D Dim
241880	5,8-35W 450lm 927 60D Dim
241881	5,8-35W 460lm 930 60D Dim
241882	5,8-35W 490lm 940 60D Dim
241883	7,5-50W 621lm 927 36D Dim
241884	7,5-50W 630lm 930 36D Dim
241885	7,5-50W 660lm 940 36D Dim
241886	7,5-50W 621lm 927 60D Dim
241887	7,5-50W 630lm 930 60D Dim
241888	7,5-50W 660lm 940 60D Dim



**PHILIPS**



**CR190**

## Philips Corepro LEDspot GU5.3

Art. n°	Description
242376	2,9-20W 230lm 827 36D
242377	4,4-35W 345lm 827 36D
242378	4,4-35W 390lm 840 36D
234506	7-50W 621lm 827 36D
234507	7-50W 621lm 830 36D
234508	7-50W 660lm 840 36D



**PHILIPS**



**GY6.35**

## Noxion Bolt LED GY6.35

Art. n°	Description
249468	2,6-28W 300lm 830

**NOXION**  
www.no-oxion.com



## Noxion Bolt LED G9

**NOXION**  
Best in class lighting



Art. n°	Description
241796	1,9-20W 200lm 827
241786	3,5-32W 350lm 827 Dim
241797	3,8-40W 470lm 827
241801	3,8-40W 470lm 830
241790	4,8-48W 600lm 827
241792	4,8-48W 600lm 830

## Philips CorePro Capsule LED G9

**PHILIPS**



Art. n°	Description
251232	1,9-25W 220lm 827
251231	1,9-25W 220lm 830
251228	2,7-25W 300lm 827 Dim
251230	3,7-40W 470lm 827
251229	3,7-40W 470lm 830
251225	4-40W 480lm 827 Dim
237345	4,8-60W 570lm 827
237346	4,8-60W 570lm 830

## Noxion Bolt LED G4

**NOXION**  
Best in class lighting



Art. n°	Description
241798	0,9-10W 100lm 827
241802	0,9-10W 100lm 830
241799	1,8-21W 200lm 827
241800	1,8-21W 200lm 830
249469	2-21W 200lm 827 Dim

## R7s

### Philips CorePro LEDlinear R7s

Art. n°	Description
	<b>78mm</b>
251233	7-60W 1000lm 840
249734	11,5-100W 1521lm 830
	<b>118mm</b>
242454	8,1-60W 900lm 830
242455	8,1-60W 970lm 840
224255	14-100W 1600lm 830 Dim
224256	14-100W 1800lm 840 Dim
230946	14-120W 2000lm 830 Dim
231200	14-120W 2000lm 840 Dim
236117	17,5-150W 2460lm 830 Dim
236118	17,5-150W 2460lm 840 Dim



78mm



118mm

**PHILIPS**



### Ledvance Slim LED R7s

Art. n°	Description
	<b>78mm</b>
250276	7-60W 806lm 827
	<b>118mm</b>
250277	12-100W 1521lm 827
	<b>78mm (Osram)</b>
238930	7-60W 806lm 827
	<b>118mm (Osram)</b>
238931	12-100W 1521lm 827



78mm



118mm

**LEDVANCE**



### Osram Slim LED R7s

Art. n°	Description
	<b>78mm</b>
251185	4,5-40W 470lm 827
251184	4,5-40W 470lm 840
	<b>118mm</b>
251183	8-60W 806lm 827
251219	8-60W 806lm 840



78mm



118mm

**LEDVANCE**





**AR111**
**Noxion Lucent LED Spot AR111 G53 & GU10**

Art. n°	Description
<b>G53</b>	
242291	7,4-50W 530lm 927 40D Dim
242290	7,4-50W 530lm 930 24D Dim
242292	7,4-50W 530lm 930 40D Dim
244208	11,7-75W 800lm 927 24D Dim
249467	11,7-75W 800lm 927 40D Dim
249466	11,7-75W 800lm 930 24D Dim
248924	11,7-75W 800lm 930 40D Dim
<b>GU10 PRO</b>	
242314	12-50W 600lm 927 GU10 40D Dim
242315	12-50W 620lm 930 GU10 40D Dim
242316	15-75W 780lm 927 GU10 40D Dim
242317	15-75W 800lm 930 GU10 40D Dim


**G53**

**GU10**

**GU10 PRO**

**Philips Master LED Spot AR111 G53**

Art. n°	Description
242443	11-50W 600lm 927 9D
242442	11-50W 600lm 927 24D
242453	11-50W 600lm 927 40D
242446	11-50W 620lm 930 9D
242444	11-50W 620lm 930 24D
242445	11-50W 620lm 930 40D
242447	15-75W 830lm 927 24D
242448	15-75W 850lm 927 45D
242449	15-75W 850lm 930 24D
242450	15-75W 870lm 930 45D
249516	14,8-75W 950lm 940 24D
242451	15-75W 980lm 940 45D
246843	20-100W 1270lm 927 24D
246845	20-100W 1270lm 927 45D
246405	20-100W 1270lm 930 24D
246835	20-100W 1270lm 930 45D
246837	20-100W 1270lm 940 24D
246839	20-100W 1270lm 940 45D


**Expert Color**

**LV**


**B22****Ledvance B22d**

Art. n°	Description
<b>Shape A</b>	
248586	4-40W 470lm 827
248581	4-40W 470lm 827 Filament
248588	6,5-60W 806lm 827
248584	6,5-60W 806lm 827 Filament
248575	7-60W 806lm 827 Filament Dim
248578	7-60W 806lm 827 Dim
248302	8,5-60W 806lm 827
246267	8,5-60W 806lm 827 Dim
246268	11-100W 1521lm 827
245517	11-100W 1521lm 865 Dim
<b>Candle</b>	
248592	2,5-25W 250lm 827 Filament
248572	3,4-40W 470lm 927 Dim
248596	4-40W 470lm 827
240793	4-40W 470lm 827 (Osram)
248594	4-40W 470lm 827 Filament
245518	4-40W 470lm 827 Filament (Osram)
248590	4,8-40W 470lm 827 Dim
<b>P45</b>	
247652	4-40W 470lm 827
248598	4,8-40W 470lm 827



A



Bougie



P45



15000h



The warranty may vary depending on the references. Please check on our website.

**STICK****Noxion Lucent LED Stick E27**

Art. n°	Description
<b>T32 (warranty 2 years - 15000h)</b>	
250754	7-60W 806lm 827 Dim
<b>T37 (warranty 3 years - 25000h)</b>	
250681	9,5-68W 950lm 830
250682	9,5-75 1050lm 840



T32



T37

**Philips Corepro Stick E27**

Art. n°	Description
233735	9,5-68W 950lm 830
233736	9,5-75W 1050lm 840



15000h



2

## Noxion Lucent LED A60 E27

Art. n°	Description
244551	5,5-40W 470lm 827 Dim
241938	5,5-40W 470lm 827
241939	5,5-40W 470lm 830
242030	5,5-40W 470lm 840
242285	8,5-60W 806lm 827 Dim
242283	8,5-60W 806lm 827
242031	8,5-60W 806lm 830
241940	8,5-60W 806lm 840
241944	11-75W 1055lm 827 Dim
241941	11-75W 1055lm 827
241942	11-75W 1055lm 830
241943	11-75W 1055lm 840
249456	12,5-100W 1521lm 827
249457	12,5-100W 1521lm 840
241945	14-100W 1521lm 827 Dim
242284	14-100W 1521lm 830



## Philips CorePro LED A60 E27

Art. n°	Description
<b>Standard</b>	
248516	4,9-40W 470lm 827
248449	4,9-40W 470lm 830
248514	4,9-40W 470lm 840
248517	8-60W 806lm 827
248518	8-60W 806lm 830
248390	8-60W 806lm 840
248547	10-75W 1055lm 827
248550	10-75W 1055lm 830
248553	10-75W 1055lm 840
248556	13-100W 1521lm 827
248559	13-100W 1521lm 830
248562	13-100W 1521lm 840
<b>FRG</b>	
242514	13-120W 2000lm 827
242516	13-120W 2000lm 840
242517	13-120W 2000lm 865
242518	17,5-150W 2452lm 827
242520	17,5-150W 2452lm 840
242521	17,5-150W 2452lm 865



Standard



FRG



## Noxion Lucent LED Filament A60 E27

Art. n°	Description
	<b>A60</b>
241948	4,5-40W 470lm 827
244561	4,5-40W 470lm 840
240926	7-50W 630lm 820 Dim Amber
241591	7-60W 806lm 827
241949	7-60W 806lm 827 Dim
244560	7-60W 806lm 840
242286	8-75W 1055lm 827
244559	8,5-75W 1055lm 827 Dim
249455	11,2-100W 1521lm 827 Dim
	<b>A70</b>
248346	12-100W 1521lm 827



Standard



Amber



Mirror



A70



**NOXION**  
Best in class lighting

## Philips Corepro LED Filament A60 E27

Art. n°	Description
242419	4,3-40W 470lm 827
242398	7-60W 806lm 827
242428	8,5-75W 1055lm 827
242422	8,5-75W 1055lm 840
242429	10,5-100W 1521lm 827
242437	10,5-100W 1521lm 840
242513	13-120W 2000lm 827
242529	17-150W 2452lm 827
242519	17-150W 2452lm 840



**PHILIPS**

## Ledvance Parathom LED Sensor A60 E27

Art. n°	Description
250545	7,3-60W 806lm 827 Filament (Osram)
248111	8,8-60W 806lm 827
250499	8,8-60W 806lm 827 (Osram)
250546	8,8-60W 806lm 840 (Osram)
250534	10-75W 1055lm 827



**LEDVANCE**



## LED E27



Art. n°	Description
245186	A60- 4,9-40W 470lm 830 E27

## P45

### Noxion Lucent Classic LED Lustre P45

**NOXION**  
Back to class lighting



Description	E14	E27
1,4-15W 136lm 827 Clear	-	244558
2,5-25W 250lm 827 Clear	242287	242029
2,5-25W 250lm 827 Dim Clear	241589	242282
3-25W 250lm 827 Frosted	241946	241590
4-32W 350lm 827 Dim Amber	-	240928
4,5-40W 470lm 827 Clear	242288	242289
4,5-40W 470lm 827 Dim Clear	242032	241950
5-40W 470lm 827 Frosted	241947	244204



### Philips CorePro LEDluster P45

**PHILIPS**

Description	E14	E27
2,2-25W 250lm 827 Frosted	242369	242371
2-25W 250lm 827 Clear	242345	242348
2,8-25W 250lm 827 Ball	242325	242326
4,3-40W 470lm 827 Frosted	242370	242372
4,3-40W 470lm 827 Clear	242415	242416
5-40W 470lm 827 Ball	242340	242339
5-40W 470lm 840 Frosted	242549	-
5-40W 470lm 865 Frosted	242550	-
6,5-60W 806lm 827 Frosted	242541	242546
6,5-60W 806lm 827 Clear	242540	242545
6,5-60W 806lm 840 Frosted	242543	242547
6,5-60W 806lm 840 Clear	242542	-
7-60W 806lm 827 Ball	242365	242366
7-60W 806lm 840 Ball	242551	242553
7-60W 806lm 865 Ball	242552	-



**CANDLE**

**Noxion Lucent Filament LED B35 & BA35**

Art. n°	Description
<b>B35</b>	
241951	2,5-25W 250lm 827 E14
241593	2,5-25W 250lm 827 E14 Dim
240931	4,1-32W 350lm 822 E14 Amber
241592	4,5-40W 470lm 827 E14
241952	4,5-40W 470lm 827 E14 Dim
<b>BA35</b>	
241953	2,5-25W 250lm 827 E14
240932	4,1-32W 350lm 822 E14 Amber
241954	4,5-40W 470lm 827 E14 Dim

**NOXION**  
Best in class lighting



**B35**



**BA35**



**Philips CorePro LEDcandle B35 & BA35**

Art. n°	Description
<b>B35 Frosted</b>	
242367	2,2-25W 250lm 827 E14 FRG
242324	2,8-25W 250lm 827 E14
242368	4,3-40W 470lm 827 E14 FRG
242323	5-40W 470lm 827 E14
242498	5-40W 470lm 840 E14
242499	5-40W 470lm 865 E14
242534	6,5-60W 806lm 827 E14 FRG
242537	6,5-60W 806lm 840 E14 FRG
242364	7-60W 806lm 827 E14
242500	7-60W 806lm 840 E14
242501	7-60W 806lm 865 E14
<b>B35 Clear</b>	
242342	2-25W 250lm 827 E14
242532	2-25W 250lm 840 E14
242414	4,3-40W 470lm 827 E14
242533	4,3-40W 470lm 840 E14
242531	6,5-60W 806lm 827 E14
242535	6,5-60W 806lm 840 E14
<b>ST35 Clear</b>	
242344	2-25W 250lm 827 E14
<b>BA35 Frosted</b>	
242373	2,2-25W 250lm 827 E14
<b>BA35 Clear</b>	
242343	2-25W 250lm 827 E14

**PHILIPS**



**B35**



**B35**



**B35**



**ST35**



**BA35**



**BA35**



**DIM-TO-WARM**

**Noxion Dim-to-warm**

Art. n°	Description
242057	A60- 4,5-40W 470lm 822-827 Clear E27
242058	A60- 7-60W 806lm 822-827 Clear E27
241909	A60- 9-60W 806lm 822-827 Frosted E27
240936	P45- 5,5-40W 470lm 822-827 Clear E14
240935	P45- 5,5-40W 470lm 822-827 Clear E27
242054	GU10- 3.7-35W 275lm 922-927 36D (warranty 5 years)
241959	GU10- 5.1-50W 385lm 922-927 36D (warranty 5 years)
244361	AR111- 7.3-50W 550lm 918-927 24D G53 (warranty 5 years)
244362	AR111- 7.3-50W 550lm 918-927 40D G53 (warranty 5 years)



A60



A60



P45



BA35



GU10



AR111



**PHILIPS**

**Philips Dimtone**

Art. n°	Description
251207	A60- 3,4-40W 470lm 922-927 Frosted E27
251221	A60- 3,4-40W 470lm 922-927 Clear E27
251218	A60- 5,9-60W 806lm 922-927 Frosted E27
251204	A60- 5,9-60W 806lm 922-927 Clear E27
251215	A60- 7,2-75W 1055lm 922-927 Frosted E27
251211	A60- 7,2-75W 1055lm 922-927 Clear E27
251223	A60- 10,5-100W 1521lm 922-927 Frosted E27
251209	A60- 10,5-100W 1521lm 922-927 Clear E27
246547	P45- 2,5-25W 340lm 922-927 Clear E14
246192	P45- 2,5-25W 340lm 922-927 Clear E27
246572	P45- 3,5-40W 470lm 922-927 Clear E14
246580	P45- 3,5-40W 470lm 922-927 Frosted E27
246609	P45- 5,9-60W 806lm 922-927 Clear E14
246613	P45- 5,9-60W 806lm 922-927 Clear E27
246536	B35- 2,5-25W 340lm 922-927 Clear E27
246566	B35- 3,4-40W 470lm 922-927 Clear E27
246556	B35- 3,4-40W 470lm 922-927 Clear E14
246606	B35- 5,9-60W 806lm 922-927 Clear E14
246542	BA35- 2,5-25W 340lm 922-927 Clear E14
246560	BA35 3,4-40W 470lm 922-927 Clear E14
242479	ST64- 5,9-60W 806lm 922-927 Clear E27
230375	GU10- 4,9-50W 355lm 922-927
242363	GU10- 3,7-35W 270lm 922-927
248830	GU10- 6,2-80W 575lm 922-927



A60



P45



B35



BA35



ST64



GU10





**REFLECTOR**

**Ledvance Performance LED Spot**

Art. n°	Description
<b>PAR20</b>	
247841	6,4-50W 350lm 927 E27 Dim
<b>PAR30</b>	
247673	6,4-50W 350lm 927 E27 Dim
<b>PAR38</b>	
247853	13,5-120W 1035lm 827 E27
247857	15,2-120W 1035lm 927 E27 Dim
<b>R50</b>	
247827	1,5-25W 110lm 827 E14 Dim
247833	2,6-40W 210lm 827 E14
247838	4,3-60W 350lm 827 E14
247822	5,9-60W 350lm 927 E14 Dim
<b>R63</b>	
247877	2,9-40W 210lm 827 E27 Dim
247882	4,8-60W 350lm 827 E27
247872	4,9-60W 345lm 927 E27 Dim
<b>R80</b>	
247900	4,8-60W 350lm 827 E27
247886	4,9-60W 345lm 927 E27 Dim
247905	8,5-100W 670lm 827 E27
247892	8,5-100W 670lm 827 E27 Dim



PAR20



PAR30



PAR38



R50



R63



R80



The warranty varies between products. Please check on the website.

**VINTAGE**

**Noxion Lucent Filament Bulb**

Art. n°	Description
<b>ST64</b>	
242281	4-40W 470lm 827 E27
240929	7,2-50W 630lm 822 E27 Dim Amber
<b>G95</b>	
240934	7,3-60W 806lm 827 E27
249458	7-60W 806lm 827 E27 Dim
<b>G125</b>	
240930	7,2-50W 630lm 822 E27 Dim Amber



ST64



G95



G125



A person wearing a teal polo shirt and white work gloves is shown from the chest up, working on a long, rectangular, illuminated light fixture. The fixture is suspended by a chain and is glowing with a bright white light. The person's hands are positioned at the end of the fixture, appearing to be adjusting or inspecting it. The background is a plain, light-colored wall.

# **Accessories & Conventional Lighting**

## Noxion LED Dimmer

Art. n°	Description
<b>Dimmer</b>	
238539	Cord Dimmer switch RLC 0-50W (remote control)
248985	Dimmer Switch RLC 0-150W
238453	Automatic Dimmer Switch RLC 0-300W
<b>Cover Plate for LED Dimmer</b>	
238541	Cover plate- Hard Edge White (compatible with Automatic)
238540	Rotary Cover Plate Soft Edge White (compatible with Automatic)



238539



248985



238453



238541



238540

**NOXION**  
Best in class lighting

## LED Accessories

Model	Art. n°	Description
<b>Power cable</b>		
<b>A</b>	160922	Cable 0,5M male
<b>B</b>	232610	Cable 2M- EURO
<b>C</b>	204803	Cable Schuko Plug 3M
<b>Cable</b>		
<b>D</b>	223469	Cable 0,5M- GST18 male
<b>E</b>	140284	Cable 2M- GST18 male/female
	140271	Cable 2M- GST18 male/female
<b>F</b>	152541	Cable universal 3M
<b>Other</b>		
<b>G</b>	239375	Connector Quick with 3-pole
<b>H</b>	232603	GU10 connector
<b>I</b>	140045	Piece T- GST18
<b>Wago Cage Clamp</b>		
<b>J</b>	245999	Wago 221-412   2 Wire Connection (Pack 100/u)
	246000	Wago 221-413   3 Wire Connection (Pack 50/u)
	246001	Wago 221-415   5 Wire Connection (Pack 50/u)
<b>Wago Push Wire</b>		
<b>K</b>	246003	Wago 2273-202   2 Wire Connection (Pack 100/u)
	246005	Wago 2273-203   3 Wire Connection (Pack 100/u)
	246002	Wago 2273-204   4 Wire Connection (Pack 100/u)
	246004	Wago 2273-205   5 Wire Connection (Pack 100/u)



A



B



C



D



E



F



G



H



I



J



K

## Noxion Emergency lighting

Art. n°	Description
239389	3.5W 3h Emergency Exit Lighting- 4 directions
245470	1W 3h Emergency Sign Lighting- 4 directions
245467	8.5W 500lm 6500K 352x110mm White Emergency 3h
245469	3W 240lm 6500K Ø140mm White Emergency 3h
<b>Accessories</b>	
239391	Suspension kit 2M for Exit Lighting
239390	Recessed frame for Exit Lighting
245468	Semi Recessed Kit for Emergency Bulkhead
245471	Side kit for Sign lighting



239389



245470



245467



245469



## PHILIPS

### Philips Master Colour CDM-T

Art. n°	Description
153476	20W 830 G12
118023	35W 830 G12
151547	35W 842 G12
118024	70W 830 G12
118029	70W 942 G12
118025	150W 830 G12
118060	150W 942 G12



## PHILIPS

### Philips Ballast CDM-T

Art. n°	Description
<b>HID-PV C I</b>	
137608	35W CDM / I HID-PV C
137129	70W CDM / I HID-PV C
<b>HID-PV C S</b>	
152787	35W CDM / S HID-PV C
154259	70W CDM / S HID-PV C



### Haisen motion and Light Sensor

Art. n°	Description
249065	Haisen Motion & Daylight Sensor HD011S (for Noxion)

## HAISEN



## Zaptec E-mobility

Art. n°	Description
251876	Zaptec GO- Charging station - 22KW
248424	Zaptec Pro- Charging station - 22 kW
248425	Backplate
<b>Mounting bracket</b>	
249272	Onepole 2 Single/Twin
249273	Onepole 2 Quattro Okt
249035	Onepole dredging foundation 160MM
<b>Accessories</b>	
249206	RFID Key
249223	Charging cable 3 Fase type 2- 32 A- 5 meter
249222	Charging cable 3 Fase type 2- 32 A- 7,5 meter

 Zaptec



251876



248424



248425



249035



249206



249223



249222



We kunnen jou als **installateur** in het volledige traject **ontzorgen**

**Zaptec PRO  
Laadpaal  
22kW - RFID**

Interesse? Ga naar  
[www.installatiewereld.nl](http://www.installatiewereld.nl)



5 jaar garantie



Gepatenteerde  
fasebalancering



MID gecertificeerde  
meter



Volledig op afstand  
in te stellen



tot 22kW laden



Geactiveerde  
simkaart (E-Sim)

# Onze installateursdiensten Discountlight

Ontworpen voor jou:  
snel en efficiënt zaken doen!



**Nieuw**

## Producten gereserveerd voor vakmannen

Bij Discountlight zijn we een klasse apart: je kiest als klant uit een zeer gerichte selectie van producten. Deze zijn speciaal ontworpen voor jou als installateur, en bevatten exclusieve items die nergens anders te vinden zijn! Komt een klant onze website toevallig tegen? Geen probleem: zonder een account worden er geen prijzen weergegeven. Je behoudt volledige controle over je marges, zonder directe concurrentie. Bovendien kun je je blijven richten op waar je goed in bent: installeren, adviseren en tevreden stellen.



**Discountlight  
Exclusief**

## Kun je een lichtstudie gebruiken?

Wij helpen je graag verder bij je verlichtingsproject middels een gratis verlichtingsstudie aan. Hierbij kijken we specifiek naar de vereisten van je project, waarna onze lichtexpert een op maat lichtplan voor je in kaart brengt.

## We staan snel voor je paraat

Als installateur is het essentieel om snelle service van hoge kwaliteit te ontvangen. Zo kun je direct door met je project(en). Daarom zetten we ons in om je aanvragen binnen 2 uur na ontvangst te beantwoorden.

## Prioriteit voor professionals

Je aanvragen als installateur krijgen altijd prioriteit. Je hebt voorrang op voorraad zodra je een order plaatst, maar ook kun je onze voorraad voor enkele dagen reserveren. Ons magazijn gaat direct voor je aan de slag, waardoor je order als eerste klaar staat voor verzending.



**95%**

Binnen 3 dagen is  
95% van onze orders  
afgeleverd.



**15**

We are present in 15  
countries



**1 Miljoen**

Het aantal orders dat we  
jaarlijks afhandelen.



Bel ons  
**040 767 61 01**




Email ons:  
**order@discountlight.com**



Bezoek onze website:  
**www.discountlight.com**











# List of symbols



Dimmable



Dimmable 1-10V



Years of warranty



Easy installation



Cable length



Unified glare rating



Rotation



Emergency module



Colour rendering index



Flicker-free



Lifespan



Glass



Impact resistance rating



GRP  
(Fiberglass reinforced plastic housing)



Waterproof rating



Throughwiring



Tilting



Incl. Starter



Dali driver



Color RGB



Daylight sensor



Controlled color temperature



Motion sensor



Discountlight Exclusief: deze producten worden exclusief aangeboden aan installateurs en zijn niet beschikbaar buiten Discountlight.



Options available on the site



New product

# De beste prijzen voor Philips armaturen vind je bij Discountlight

WT120C G2 LED60S/840 PSU L1500



-62%

8718291840497 - bruto € 130,00 - netto € 49,50

WT060C LED36S/840 PSU L1200



-71%

8710163360096 - bruto € 91,00 - netto € 26,41

RC132V G5 36S/840 PSU W60L60 OC



-56%

8719514950054 - bruto € 125,00 - netto € 55,62

RC132V G5 36S/840 PSU W30L120 OC



-46%

8719514950078 - bruto € 130,00 - netto € 69,75

BY120P G5 LED105S/840 PSU WB



-62%

8719514955677 - bruto € 335,00 - netto € 128,66

DN142B LED20S/830 PSU-E UGR19



-55%

8720169502956 - bruto € 105,00 - netto € 47,25

BWC110 LED9-/830 PSU II BK



-58%

8718291851912 - bruto € 193,00 - netto € 81,20

WL055V LED6S/840 PSU WH



-61%

8710163349428 - bruto € 59,00 - netto € 23,02



Alle scherpe  
Philips prijzen zien?

Discountlight